



Virginia Ambient Air Monitoring 2007 Data Report



Department of Environmental Quality

Commonwealth of Virginia
Department of Environmental Quality



Office of Air Quality Monitoring

4949-C Cox Road
Glen Allen, VA 23060

This Ambient Air Monitoring Data Report is for the time period of January 1, 2007 to December 31, 2007.

On The Cover

We would like to thank Tom Jennings and Tim Sorensen for their contributions to the front cover.

David K. Paylor, Director
Virginia Department of Environmental Quality

Michael Dowd
Director, Division of Air Quality

Acknowledgements:

We would like to thank Chuck Turner, James Dinh, Carolyn Stevens, Dan Salkovitz, Baxter Gilley and Charles (Brian) King.

Published, August 2007

2007 Annual Report prepared by:
Crystal Sorensen, Statistical Analyst

Dear Annual Report User:

A limited number of printed copies will be available for 2008. The report will be available on the internet at <http://www.deq.virginia.gov/airmon/publications.html>. If you would like to receive a printed copy, please fill out the information below, and mail to the following:

Department of Environmental Quality
Office of Air Quality Monitoring
Attn: Crystal Sorensen
4949-C Cox Road
Glen Allen, VA 23060



Date _____

_____ Name

_____ Company

_____ Mailing Address

_____ City, State

_____ Zip Code

_____ E-Mail Address

GENERAL INFORMATION:

Introduction.....	1
About Virginia's Office of Air Quality Monitoring.....	2
Frequently Asked Questions.....	3

CRITERIA POLLUTANTS:

<u>PM_{2.5}</u> (Particulate Matter equal to or less than 2.5 microns)	
Description	7
Monitoring Schedule for 3 Day Monitoring Operation.....	12

<u>PM₁₀</u> (Particulate Matter equal to or less than 10 microns)	
Description	13
Monitoring Schedule for 6 Day Monitoring Operation.....	15

<u>CO</u> (Carbon Monoxide)	
Description	16
Graphs	18

<u>SO₂</u> (Sulfur Dioxide)	
Description	20
Graphs	23

<u>NO₂</u> (Nitrogen Dioxide)	
Description	25
Graphs	27

<u>OZONE</u>	
Description	29
8-Hour Graphs	33
1-Hour Highest Daily Maximum Average.....	36

<u>ACID RAIN:</u>	
Acid Precipitation Monitors.....	38

<u>VOLATILE ORGANIC COMPOUNDS</u> (VOC):	
Photochemical Assessment Monitoring Stations.....	39
Air Toxic Monitoring Network Stations.....	45

<u>AQI (Air Quality Index)</u>	51
---	----

<u>APPENDIX A:</u>	
Abbreviation Table.....	58
Regional Site List and Monitoring Network.....	59
Data Capture Criteria	67
National Ambient Air Quality Standards	68
Number of Criteria Pollutant Monitoring Sites.....	69
Ozone & PM _{2.5} Nonattainment Area Designations.....	70

<u>APPENDIX B:</u>	
Air Quality Internet Links	72
References.....	73

The 2007 Virginia ambient Air Monitoring Data Report is a compilation of air pollutant measurements made by the Virginia Department of Environmental Quality, the City of Alexandria, Fairfax County, the U.S. Department of Agriculture Forest Service, and the National Park Service. This report satisfies the requirements of the U.S. Environmental Protection Agency (EPA) for the reporting of air quality data as specified in the Code of Federal Regulations (<http://www.access.gpo.gov/cgi-bin/cfrassemble.cgi?title=200740>), Title 40, Part 58, Appendix F (http://edocket.access.gpo.gov/cfr_2007/julqtr/pdf/40cfr58.61.pdf).

Ambient air quality was measured at 45 locations within the Commonwealth during 2007. These monitoring sites were established in accordance with EPA's siting criteria contained in 40 CFR Part 58, Appendices D and E (http://edocket.access.gpo.gov/cfr_2007/julqtr/pdf/40cfr58.61.pdf), and monitoring network operations conformed to EPA guidance documents and generally accepted air quality monitoring practices. All data reported for these monitoring sites were quality assured in accordance with requirements contained in 40 CFR Part 58, Appendix A (http://edocket.access.gpo.gov/cfr_2007/julqtr/pdf/40cfr58.61.pdf).

Ambient concentrations of carbon monoxide, nitrogen dioxide, and sulfur dioxide were within the EPA's national ambient air quality standards (NAAQS) in 2007. Virginia continues to experience exceedences of the ozone pollution standard, particularly in Northern Virginia, Richmond, and Hampton Roads. In 2007, Northern Virginia had 12 days when an eight-hour ozone average greater than .08 ppm was recorded at one or more monitoring stations in the area. Richmond had 7 days, Hampton Roads recorded 3 days, and Stafford County recorded 4 ozone exceedance days. The Roanoke area recorded 1 day where the ambient air showed an exceedance of the .08 eight-hour standard and Caroline County recorded 2 days.

Implementation of the stricter 8-hour ozone standard began in 2008 and is applicable as of the publication date of this annual report. The stricter standard (0.075 ppm) will likely have an impact on the number of exceedance days recorded in future years. Virginia DEQ has evaluated 2007 data to anticipate the potential impact of the new standard and has determined the following impacts: Northern Virginia would have recorded 30 exceedance days; Richmond 25 exceedance days; Tidewater 9 exceedance days; Roanoke 5 exceedance days; Caroline County 11 exceedance days; Stafford County 10 exceedance days; 2 exceedance days in Wythe County and 1 each in Frederick County and Rockingham County.

We are responsible for seeing that the Virginia ambient air monitoring network is maintained and operated in accordance with state and federal guidelines. Personnel from DEQ regional offices, the City of Alexandria, Fairfax County Health Department, the National Park Service, and the U.S. Department of Agriculture Forest Service conduct the daily operations at these sites. One of our primary jobs is to support these people in their monitoring efforts. This is done by:

- calibrating air monitoring instrumentation and associated support equipment on a set schedule
- auditing the instrumentation to insure that it is operating within set standards
- troubleshooting instrumentation problems reported by the operators
- supplying field operators with necessary items so they can perform their job properly
- repairing malfunctioning sampling instrumentation and ancillary equipment

Other functions:

- respond to regional and locality requests for special sampling such as emergency response or to answer citizen complaints
- coordinate efforts with the regional offices and localities to determine new air monitoring site locations
- conduct AQM generated special sampling projects to characterize a community's air
- furnish ambient air data to the regional offices, localities, Central Office, EPA and the EPA database
- answer FOIA requests for ambient air sampling data
- work with the regions and the localities to see that area monitoring needs are met
- work with EPA to see that necessary state and federal monitoring needs are met
- support VISTAS (Visibility Improvement State and Tribal Association) and MARAMA (Mid-Atlantic Regional Air Management Association of the Southeast) on routine and special projects

Criteria Pollutant Monitoring:

A portion of the air monitoring network is made up of instruments that sample for the Criteria Pollutants. Sulfur dioxide, nitrogen dioxide, carbon monoxide, ozone and particulate matter (PM10 & PM2.5) can injure health, harm the environment and cause property damage. EPA calls these pollutants criteria air pollutants because they have regulated them by first developing health-based criteria (science-based guidelines) as the basis for setting permissible limits. One set of limits (primary standard) protects health; another set of limits (secondary standard) is intended to prevent environmental and property damage

Special Monitoring:

In addition to overseeing the air sampling network for criteria pollutants, AQM conducts routine and short term sampling for VOCs (volatile organic compounds), Carbonyls, Toxic Metals and NO_y (total reactive nitrogen). Sampled VOCs are made up of 41 HAPs (Hazardous Air Pollutants) and 55 Hydrocarbon Ozone Precursors.

1. **What is the Clean Air Act?**

The Clean Air Act is a federal law that provides for the protection of human health and the environment. The original Clean Air Act was passed in 1963, and the 1970 version of the law resulted in the creation of the U.S. Environmental Protection Agency (EPA), which was charged with setting and enforcing ambient air quality standards. The law was amended in 1977, and most recently in 1990. Most of the activities of the Virginia Department of Environmental Quality's Air Division come from mandates of the Clean Air Act, and are overseen by the EPA. More information on the 1990 amendments to the Clean Air Act can be found at: <http://www.epa.gov/air/caa/>.

2. **What is a criteria air pollutant?**

The Clean Air Act names six air pollutants that are commonly found in the air throughout the United States, and that can injure humans by causing respiratory and cardiovascular problems, and harm the environment by impairing visibility, and causing damage to animals, crops, vegetation and buildings. EPA has developed health-based criteria for these pollutants through scientific studies, and has established regulations setting permissible levels of these pollutants in the air. The "criteria" pollutants are: carbon monoxide, sulfur dioxide, nitrogen dioxide, ozone, particulate matter, and lead, and the limits that have been set for them are the National Ambient Air Quality Standards (NAAQS).

3. **What is the difference between a primary and secondary National Ambient Air Quality Standard?**

The National Ambient Air Quality Standards are divided into two types. The first type, the primary standard, is designed to protect human health, especially those who are most vulnerable such as children and the elderly, and people suffering from asthma, emphysema, chronic bronchitis, and heart ailments. The second type, the secondary standard, is designed to prevent damage to property and the environment. For a list of the primary and secondary National Ambient Air Quality Standards, see <http://www.epa.gov/air/criteria.html> or page 67 of this report.

4. **How is the location of an air monitoring station decided?**

Generally, the deciding factor in all Virginia air monitoring sampling is to determine where the highest pollutant concentrations will occur, and place the sampler as near as possible to that location. A wind rose is typically used to determine the prevailing wind direction for an area and identify the downwind direction from a probable source. A wind rose is a meteorological map showing the frequency and strength of winds from different directions at a specific location.

For typical criteria pollutant monitoring, the federal guidelines on siting an air monitor for measuring maximum concentrations are followed. These guidelines not only encourage siting in areas with free airflow and a minimum amount of obstructions, but they also give the height requirements for the sample inlet and the desired separation distances from obstructions such as tree lines, localized sources such as oil furnace flues, and other influences that can skew the data.

Other determining factors for placing air monitoring stations include:

- ❖ security of the site
- ❖ safety of the operator
- ❖ availability of electric power and communication service
- ❖ accessibility of the site

For more specific information, consult EPA's Quality Assurance Handbook for Air Pollution Measurement Systems, Volume II, Part1, Section 6, <http://www.epa.gov/ttnamti1/redbook1.pdf>

5. **How large of an area does an air monitoring station represent?**

The sampling area of a monitoring site is dependent on the parameters selected for representation, such as:

- type of pollutants being sampled
- rural vs. urban sampling
- source oriented, population oriented, or background oriented
- sampling for pollution transported from outside the Commonwealth

Many sites are also dependant on topography and meteorology of an area, which play an important role. Federal guidelines spell out the general area of representation. Some examples of varied air sampling sites are:

- A background research site in central Virginia may represent an area with a radius of 50 to 100 kilometers.
- An ozone or fine particulate site in the Shenandoah Valley may represent an elongated area with an axis running with the valley and is a hundred kilometers long but only twenty-five kilometers wide.
- A carbon monoxide sampling site in an urban street canyon setting may represent an area of only a few blocks in radius.
- A source oriented site in south central Virginia may represent an area from 0.5 to 4 kilometers in radius.

For more specific information, consult EPA's Quality Assurance Handbook for Air Pollution Measurement Systems, Volume II, Part1, Section 6, <http://www.epa.gov/ttnamti1/redbook1.pdf>

6. **What is a “nonattainment” area?**

A nonattainment area is a geographic area that has been determined by EPA as not meeting the air quality standards for one or more pollutants. Typically, an area is declared nonattainment based on data collected at one or more ambient air monitoring sites within the area. However, sometimes the nonattainment designation can be made based on the use of air quality models that use monitoring data from other areas. In Virginia, nonattainment areas are designated for two of the criteria pollutants, ozone and fine particulate matter (PM_{2.5}).

7. **How can I find out if I live in a nonattainment area?**

A list of nonattainment areas in Virginia can be found in this report on page 70. On the web, EPA has a comprehensive list of all nonattainment areas in the country at <http://www.epa.gov/air/oaqps/greenbk/>.

8. What are the impacts of nonattainment designation?

To demonstrate how they plan to achieve federal air quality standards, states must draft a "State Implementation Plan," or SIP. This plan lists specific actions that the state will undertake to improve and maintain acceptable air quality, and a time frame for accomplishing these goals. The SIP may require new factories to install the newest and most effective air pollution control technologies. Other actions could be requiring older factories to retrofit their smokestacks with better pollution control devices, requiring an area to sell only reformulated gasoline during the summer months, requiring vapor recovery systems on gasoline pumps, and requiring vehicle exhaust emission checks, to name a few. SIP development is a lengthy process, and involves negotiation between the state and the EPA until it is finalized.

9. What is an Early Action Compact (EAC) area?

In April 2004, EPA published a final rule listing areas in the country designated as not attaining the 8-hour ozone ambient air quality standard. A few areas, including two in Virginia, Roanoke and Frederick County/Winchester, entered into Early Action Compacts (EAC) with EPA before the nonattainment designations were published, because they were facing the possibility of being designated nonattainment for ozone. The compacts allowed the participating areas to come up with their own plan for meeting the 8-hour ozone standard, provided they meet certain milestones and they attain the 8-hour ozone standard no later than December 31, 2007. As part of the EAC, EPA agreed to defer the nonattainment designation. If the EAC areas fail to meet the ozone standard by the December 31, 2007 deadline, they will be designated as ozone nonattainment areas.

10. How can I get current or historical air quality data?

Current ozone data for Virginia, as well as current AQI and air quality forecasts can be obtained at www.deq.virginia.gov/airquality/homepage.html. Summary air quality data for ozone and PM2.5 can be found on the DEQ website at www.deq.virginia.gov/airquality/homepage.html and www.deq.virginia.gov/airmon/pm25home.html. Annual monitoring data reports for DEQ from 2001 to the present can be found at <http://www.deq.virginia.gov/airmon/publications.html>. EPA provides monitoring and emissions data, as well as maps, on the web at <http://www.epa.gov/air/data/index.html>. Detailed data for monitoring sites in Virginia can also be obtained by contacting the VA DEQ Office of Air Quality Monitoring.

11. What do I do if I have a complaint about air quality in my neighborhood?

Contact the DEQ regional office in your area. To see a list of regional offices and phone numbers, see page 58 of this report, or visit www.deq.virginia.gov/prep.

12. Who can I call about an indoor air quality problem, such as mold or radon gas?

Your local health department may be able to assist you with some indoor air quality problems. See www.vdh.state.va.us/lhd for the health department office in your area. Other excellent sources of information on indoor air quality can be found on EPA's website at www.epa.gov/iaq/index.html and through the American Lung Association website at www.lungusa.org.

Criteria Pollutants

PM_{2.5} is particulate matter (PM) that is less than or equal to 2.5 micrometers (a micrometer is one millionth of a meter) in aerometric diameter. These particles are often called “fine particles” because of their small size. Fine particles originate from a variety of man-made stationary and mobile sources, such as factory smoke stacks and diesel engines, as well as from natural sources, such as forest fires. These particles may be emitted directly into the air, or they may be formed by chemical reaction in the atmosphere from gaseous emissions of sulfur dioxide (SO₂), nitrogen oxides (NO_x), and volatile organic compounds (VOCs).

Scientific research has linked fine particle pollution to human health problems. The particles are easily inhaled deep into the lungs, and can actually enter the bloodstream. Particle pollution is of particular concern to people with heart or lung disease, such as coronary artery disease, congestive heart failure, asthma, or chronic obstructive pulmonary disease (COPD). Older adults are at risk because they may have underlying, undiagnosed heart or lung problems. Young children are also at risk because their lungs are still developing, they are more likely to have asthma or acute respiratory disease, and they tend to spend longer periods of time at high activity levels, causing them to inhale more particles than someone at rest. Even otherwise healthy people may suffer short-term symptoms such as eye, nose, throat irritation, coughing, and shortness of breath during episodes of high particulate levels.

PM_{2.5} air quality standards were implemented by EPA in 1997 to protect against the health effects of fine particle pollution. In September 2006, EPA announced revisions to the National Ambient Air Quality Standards (NAAQS) for particulate matter. While the long-term PM_{2.5} annual average standard of 15.0 µg/m³ remained the same, the short-term 24-hour average PM_{2.5} standard was significantly reduced from 65 µg/m³ to 35 µg/m³. This was done to better protect public health, based on a large body of scientific evidence which supported the stricter limits. For more information on the revisions to the particulate matter standards, see www.epa.gov/air/particlepollution/pdfs/20060921_factsheet.pdf.

In addition to health problems, fine particle pollution contributes to haze that causes deterioration of visibility in scenic areas, and also deposits harmful compounds on the soil and water. Unlike ozone, which is a seasonal pollutant in most areas of the country, particle pollution can occur year-round, and is monitored throughout the year in Virginia. The Virginia DEQ PM_{2.5} monitoring network uses three different types of samplers to monitor fine particulate in the state:

PM_{2.5} 24-hour Mass Sampler: This Federal Reference Method (FRM) sampler collects particulate matter on a stretched Teflon filter media. Four samplers (Henrico Co., Roanoke, Virginia Beach, and Fairfax Co.) collect 24-hour samples every day. The rest of these samplers collect 24-hour samples on a one-in-three day schedule. Filters are retrieved from the field and shipped via courier to the Virginia Division of Consolidated Laboratories in Richmond. At the laboratory, the filters are equilibrated for a minimum of 24 hours prior to the final weighing.


PM_{2.5} 24-hour Speciation Sampler: This sampler collects particulate matter on nylon, Teflon, and quartz filters in three sampling modules. These modules are picked up by the operator after the sampling period, and shipped refrigerated to the EPA contract laboratory. The lab analyzes the filters for mass loading, trace elements (such as aluminum, antimony, arsenic, barium, bromine, and zirconium), cations (ammonium, potassium, sodium), anions (nitrate, sulfate), and carbons (carbonate carbon, elemental carbon, and organic carbon). The speciation network in Virginia consists of one monitor, located in Henrico Co., and this sampler operates on a one in three day sampling schedule.

PM_{2.5} Continuous Monitor: This sampler collects particulate samples on a continuous basis, and data are compiled into hourly averages. The sampler utilizes a Tapered Element Oscillating Microbalance (TEOM) in the sampling design. TEOM samplers are operated in Hampton, Henrico Co., Roanoke, Fairfax Co., and Big Meadows in Shenandoah National Park.

Each type of PM_{2.5} sampler has a unique function. The FRM samplers collect data that are used to determine if the state is complying with the national ambient air quality standards (NAAQS) for particulate matter. The speciation sampler collects data about the composition of particulate matter in Virginia, and is useful for identifying potential sources of air pollution both within and outside the state boundaries. The FRM and speciation monitors are manual, filter-based methods, and the samples they collect must be transported to a laboratory for processing. Consequently, they are not useful for reporting real-time air quality conditions. The TEOM is a continuous particulate monitor that provides hourly data on fine particulate levels. The data are polled each hour by a central computer at DEQ, and then used to compute the current air quality index, which is posted on the agency website at

www.deq.virginia.gov/airquality/homepage.html. The data are also simultaneously sent to EPA's national air quality website at www.airnow.gov.

In addition to the PM_{2.5} network operated by the DEQ, the National Park Service and the USDA Forest Service operate PM_{2.5} samplers at Big Meadows in Shenandoah National Park, and in Rockbridge Co. as part of the IMPROVE (Interagency Monitoring of Protected Visual Environments) network. This network employs different sampling methods than those used by the DEQ. Data for the IMPROVE network can be found on the internet at <http://vista.cira.colostate.edu/improve>.



PM2.5 Monitoring Network

NAAQS Standards

Primary Standard for PM_{2.5}:

- Annual Arithmetic Mean – the 3 year average of the weighted annual mean PM_{2.5} concentration must not exceed 15.0 µg/m³.
- 24-Hour concentration – the 3 year average of the 98th percentile of 24-hour concentrations must not exceed 35 µg/m³.

Secondary Standard for PM_{2.5}:

- Same as Primary.

2005-2007 PM_{2.5} 24-hour Averages, 98th Percentile Values (mg/m³)				
Site	2005	2006	2007	3-Year Average
(101-E) Bristol	30.6	30.9	28.0	30
(29-D) Page Co.	32.0	28.3	30.0	30
(109-L) Roanoke	35.4	29.9	31.9	32
(155-Q) Lynchburg	35.1	27.8	30.5	31
(71-D) Chesterfield Co.	30.4	31.1	30.7	31
(72-M) Henrico Co.	32.2	30.9	32.0	32
(72-N) Henrico Co.	29.0	28.7	30.4	29
(75-B) Charles City Co.	31.4	33.7	30.5	32
(179-C) Hampton	26.9	32.0	27.8	29
(181-A1) Norfolk	29.6	31.3	27.3	29
(184-J) Va. Beach	29.9*	32.0*	28.7	30
(38-I) Loudoun Co.	37.7	32.8	27.7	33
(47-T) Arlington Co.	34.2	32.5	29.5	32
(46-B9) Franconia, Fairfax Co.	35.8	33.9	31.9	34
(L-46-A8) McLean, Fairfax Co.	34.6	32.4	30.9	33
(L-46-C1) Annandale, Fairfax Co.	35.1	32.0	29.5	32

* Incomplete data capture for the year

NAAQS Standards

Primary Standard for PM_{2.5}:

- Annual Arithmetic Mean – the 3 year average of the weighted annual mean PM_{2.5} concentration must not exceed 15.0 µg/m³.
- 24-Hour concentration – the 3 year average of the 98th percentile of 24-hour concentrations must not exceed 35 µg/m³.

Secondary Standard for PM_{2.5}:

- Same as Primary.

2005-2007 PM_{2.5} Weighted Annual Arithmetic Means (mg/m³)				
Site	2005	2006	2007	3-Year Average
(101-E) Bristol	14.3	13.5	13.9	13.9
(29-D) Page Co.	14.0	12.1	12.5	12.9
(109-L) Roanoke	15.1	14.2	14.2	14.5
(155-Q) Lynchburg	13.4	12.5	13.1	13.0
(71-D) Chesterfield Co.	14.0	13.1	13.0	13.3
(72-M) Henrico Co.	13.9	13.2	12.5	13.2
(72-N) Henrico Co.	13.7	12.5	12.4	12.9
(75-B) Charles City Co.	12.9	12.0	11.9	12.3
(179-C) Hampton	12.5	12.2	11.0	11.9
(181-A1) Norfolk	13.5	12.3	11.4	12.4
(184-J) Va. Beach	12.6*	12.6*	11.2	12.1
(38-I) Loudoun Co.	14.6	12.2	12.8	13.2
(47-T) Arlington Co.	15.3	12.9	13.9	14.1
(46-B9) Franconia, Fairfax Co.	13.7	12.7	12.5	13.0
(L-46-A8) McLean, Fairfax Co.	14.8	12.7	13.5	13.7
(L-46-C1) Annandale, Fairfax Co.	14.4	12.7	13.3	13.5

* Incomplete data capture for the year

3-Day Monitoring Schedule for PM2.5 2007

January						
Su	M	Tu	W	Th	F	Sa
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February						
Su	M	Tu	W	Th	F	Sa
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28			

March						
Su	M	Tu	W	Th	F	Sa
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

April						
Su	M	Tu	W	Th	F	Sa
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					

May						
Su	M	Tu	W	Th	F	Sa
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

June						
Su	M	Tu	W	Th	F	Sa
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30

July						
Su	M	Tu	W	Th	F	Sa
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

August						
Su	M	Tu	W	Th	F	Sa
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

September						
Su	M	Tu	W	Th	F	Sa
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						

October						
Su	M	Tu	W	Th	F	Sa
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

November						
Su	M	Tu	W	Th	F	Sa
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	


December						
Su	M	Tu	W	Th	F	Sa
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

PM₁₀ is particulate matter comprised of solid particles or liquid droplets with an aerodynamic diameter of less than or equal to 10 micrometers, and is sometimes referred to as “coarse particles.” PM₁₀ particles are larger than PM_{2.5}, but are still in a size range that can pose health problems because they can be inhaled, and retained in the human respiratory system, causing breathing difficulties, and eye, nose and throat irritation. In addition to the health effects of PM₁₀, these particles can impair visibility, can contribute to climate change, and result in “acidic dry deposition.” Acidic dry deposition occurs when particles containing acidic compounds fall to the ground. The acidic particles can corrode surfaces that they settle on, and can increase the acidity of the soil and water.

The National Ambient Air Quality Standards, or NAAQS, for particulate matter were revised in September 2006. EPA changed the existing standards for PM₁₀ by revoking the annual standard of 50 micrograms per cubic meter, because current scientific evidence did not support a link between long-term exposure to coarse particles and health problems. However, the 24-hour PM₁₀ standard was retained to protect citizens from effects of short-term exposures. For additional information on the revised particulate matter standards, see www.epa.gov/air/particlepollution/pdfs/20060921_factsheet.pdf.

To measure PM₁₀, ambient air is drawn into a sampler that uses a particle size discrimination inlet. The inlet is designed so that particles in the size range of 10 micrometers (also called microns) or below stay suspended in the air stream, while larger particles settle out. The sample air flows across an 8 x 10 inch micro-quartz filter at a rate of 40 cubic feet per minute for a 24-hour period. The particles are captured on the filter, which is weighed before and after sampling, and the PM₁₀ concentration is determined by dividing the change in filter mass by the volume of sampled air. The resulting PM₁₀ concentration is reported as micrograms per cubic meter (µg/m³). The filters are processed at the DEQ Office of Air Quality Monitoring, except for the samples collected by Fairfax County, which performs their own analyses. The normal sampling schedule is once every sixth day from midnight to midnight.

Virginia DEQ included in the PM10 monitoring network information for 2007, three new SLAMS sites in the Richmond-Petersburg MSA. These monitors were placed as part of the Hopewell Community toxics study and are located as follows: one is located at the Carter Woodson Middle School in Hopewell, one is located on Spruance Road near City Point in Hopewell, and the third is located at the VCU Rice Center in Charles City County. Evaluation of these monitors and the PM10 network as a whole, indicate that none of the monitors were in violation of the PM10 standard in 2007. The monitors will be reassessed at the completion of the Hopewell air toxics study and one or more of them may be moved based on evaluation of the data gathered from these monitors.



PM10 Monitoring Sites

NAAQS Standards

Primary Standard for PM₁₀:

- 24-Hour concentration not to exceed 150 $\mu\text{g}/\text{m}^3$ more than once per year averaged over three years.

Secondary Standard for PM₁₀:

- Same as Primary.

2005-2007 PM ₁₀ 24-Hour Average Concentrations (units in mg/m^3)							
Site	2005		2006		2007		> 150 mg/m^3
	1 st Max	2 nd Max	1 st Max	2 nd Max	1 st Max	2 nd Max	
(23-A) Carroll Co.	35	33	41	36	39	37	0
(28-L) Frederick Co.	87	81	78	64	78	67	0
(30-E) Warren Co.	42	35	36	36	46	32	0
(127-B) Charlottesville	39	39	47	42	53	40	0
(134-C) Winchester	39	37	40	38	51	45	0
(109-H) Roanoke	67	66	60	57	75	58	0
(75-C) Charles City Co.	--	--	--	--	38	36	0
(154-M) Hopewell	--	--	--	--	42	35	0
(154-N) Hopewell	--	--	--	--	42	39	0
(82-C) King William Co.	49	46	52	44	41	36	0
(179-C) Hampton	--	--	--	--	38	37	0
(181-A1) Norfolk	47	37	48	39	39	36	0
(42-B) Culpeper Co.	41	36	44	41	50	36	0
(130-E) Fredericksburg	39	38	48	48	50	39	0
(L-46-B3) Fairfax Co.	39	38	42	40	35	33	0
(L-46-F) Fairfax Co.	48	35	41	40	54	52	0

6-Day Monitoring Schedule for PM10 2007

January						
Su	M	Tu	W	Th	F	Sa
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February						
Su	M	Tu	W	Th	F	Sa
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28			

March						
Su	M	Tu	W	Th	F	Sa
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

April						
Su	M	Tu	W	Th	F	Sa
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					

May						
Su	M	Tu	W	Th	F	Sa
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

June						
Su	M	Tu	W	Th	F	Sa
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30

July						
Su	M	Tu	W	Th	F	Sa
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

August						
Su	M	Tu	W	Th	F	Sa
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

September						
Su	M	Tu	W	Th	F	Sa
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						

October						
Su	M	Tu	W	Th	F	Sa
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

November						
Su	M	Tu	W	Th	F	Sa
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	


December						
Su	M	Tu	W	Th	F	Sa
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

Carbon monoxide (CO) is a colorless, odorless gas that is produced by incomplete burning of carbon compounds in fossil fuels (gasoline, natural gas, coal, oil, etc.). Over half of the CO emissions in the country come from motor vehicle exhaust. Other sources include construction equipment, boats, lawnmowers, woodstoves, forest fires, and industrial manufacturing processes.

CO concentrations are higher in the vicinity of heavily traveled highways, and drop rapidly the further the distance from the road. Ambient levels of carbon monoxide tend to be higher in the colder months due to “thermal inversions” that trap pollutants close to the ground. A thermal inversion occurs when the temperature of the air next to the ground is colder than air above it. When this happens, the air resists vertical mixing that can help the pollutants to disperse, forming a layer of smog close to the ground.

Carbon monoxide is harmful because it reacts in the bloodstream, reducing the amount of oxygen that is supplied to the heart and brain. CO can be harmful at lower levels to people who suffer from cardiovascular disease, like angina, arteriosclerosis, or congestive heart failure. At high levels, CO can impair brain function, causing vision problems, reduce manual dexterity, and reduce ability to perform complicated tasks. At very high levels, carbon monoxide can be deadly.

Carbon monoxide in the ambient air is measured continuously with an electronic instrument that uses NDIR, “non-dispersive infrared” photometry. The instrument has a pump that continuously draws air through a sample chamber that contains an infrared light source and a detector. Any CO molecules that are present in the sample air absorb some of the infrared light, reducing the intensity of the light reaching the detector. The portion of the infrared light absorbed by the CO molecules is converted into an electrical signal corresponding to the CO concentration, and stored in the instrument computer.



NAAQS Standards

Primary Standard for CO:


- 8-hour average not to exceed 9 ppm (10 mg/m³) more than once per year.
- 1-hour average not to exceed 35 ppm (40 mg/m³) more than once per year.

There are no Secondary Standards for CO because it does not harm vegetation or buildings.


Site	2007			
	1-Hour Avg.		8-Hour Avg. *	
	1 st Max.	2 nd Max.	1 st Max.	2 nd Max.
(109-M) Roanoke	4.1	4.0	3.7	3.2
(158-W) Richmond	2.4	2.0	1.5	1.1
(179-C) Hampton	2.6	1.9	1.3	1.1
(181-A1) Norfolk	1.5	1.5	1.0	0.8
(46-B9) Fairfax Co.	1.7	1.5	1.3	1.2
(47-T) Arlington Co.	2.1	1.8	1.6	1.5
(L-46-A8) Fairfax Co.	2.3	2.1	1.8	1.6
(L-46-C1) Fairfax Co.	1.6	1.4	1.3	1.1
(L-46-F) Fairfax Co.	1.5	1.4	1.4	1.3
(L-126-C) Alexandria	2.1	2.1	1.6	1.4

* Eight Hour Averages stated as Ending Hour


Carbon Monoxide - Piedmont Region Eight Hour 2nd Maximum



Carbon Monoxide - Tidewater Region Eight Hour 2nd Maximum



Carbon Monoxide - Northern Region Eight Hour 2nd Maximum




Sulfur Dioxide (SO₂) is a colorless gas that has a strong odor. It results from burning of fuels containing sulfur (such as coal and oil), petroleum refining, and smelting (extracting metals from ore), and it also occurs naturally from volcanic eruptions. SO₂ can dissolve in water vapor to produce sulfuric acid, and it can also interact with other gases and particles in the air to produce sulfate aerosols that are capable of traveling long distances in the atmosphere.

EPA has developed primary and secondary air quality standards for SO₂. The primary standards are designed to protect people from the health effects of sulfur dioxide gas, which include respiratory problems for people with asthma and for those who are active outdoors. Long-term exposure to high concentrations of sulfur dioxide gas can cause respiratory illness and aggravate existing heart conditions. Sulfate particles that are formed from SO₂ gas can be inhaled, and are associated with increased respiratory symptoms and disease.

Secondary standards for sulfur dioxide protect against damage to vegetation and buildings, and against decreased visibility. The acids that can form from SO₂ and water vapor contribute to acid deposition (commonly called "acid rain") which causes damage to the leaves of plants and trees, making them vulnerable to disease, and can increase the acidity of lakes and streams, making them unsuitable for aquatic life. Acid deposition also causes deterioration of materials on buildings, monuments, and sculptures. Finally, small sulfate particles, formed when SO₂ gas reacts with other gases and particles in the air, contribute to haze that causes decreased visibility in many areas of the country.

Sulfur dioxide is monitored continuously with an electronic instrument using ultraviolet fluorescence detection. The instrument has a pump that pulls outside air into a sample chamber containing a high intensity ultraviolet (UV) light. Any SO₂ molecules in the sample air absorb some of the UV light, become excited, and then fluoresce, releasing light characteristic of SO₂. The fluorescence is detected with a photomultiplier tube (a tube that detects very small amounts of light and multiplies the signal many times), and the resulting signal, which corresponds to the amount of SO₂ in the sample, is converted to an SO₂ concentration by the instrument computer.



SO₂ Monitoring Network

NAAQS Standards

Primary Standards for SO₂:

- Annual Arithmetic Mean not to exceed 0.03 ppm (80 µg/m³).
- 24-Hour concentration not to exceed 0.14 ppm (365 µg/m³) more than once per year.

Secondary Standard for SO₂:

- 3-Hour concentration not to exceed 0.5 ppm (1300 µg/m³) more than once per year.

Site	2007			
	24-Hour Avg.		3-Hour Avg.	
	1 st Max.	2 nd Max.	1 st Max.	2 nd Max.
(26-F) Rockingham Co.	.005	.004	.015	.009
(19-A6) Roanoke Co.	.009	.009	.025	.021
(75-B) Charles City Co.	.019	.015	.068	.050
(158-W) Richmond	.017	.014	.038	.036
(179-C) Hampton	.012	.011	.058	.041
(181-A1) Norfolk	.019	.017	.081	.058
(L-46-A8) Fairfax Co.	.013	.012	.029	.029
(L-46-C1) Fairfax Co.	.013	.013	.046	.027
(L-46-F) Fairfax Co.	.009	.008	.025	.019
(L-126-C) Alexandria	.013	.012	.047	.033

NAAQS Standards

Primary Standards for SO₂:

- ✚ Annual Arithmetic Mean not to exceed 0.03 ppm (80 µg/m³).
- ✚ 24-Hour concentration not to exceed 0.14 ppm (365 µg/m³) more than once per year.


Secondary Standard for SO₂:

- ✚ 3-Hour concentration not to exceed 0.5 ppm (1300 µg/m³) more than once per year.


Site	Annual Arithmetic Mean									
	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
(26-F) Rockingham Co.	--	--	--	--	--	--	--	.002	.002	.001
(19-A6) Roanoke Co.	.003	.003	.003	.003	.003	.003	.002	.003	.002	.003
(75-B) Charles City Co.	.006	.005	.006	.005	.005	.005	.004	.005	.004	.005
(158-W) Richmond	.006	.005	.005	.005	.004	.004	.004	.005	.004	.003
(179-C) Hampton	.005	.004	.005	.004	.004	.003	.004	.004	.004	.004
(181-A1) Norfolk	--	--	--	--	--	--	--	--	--	.005
(L-46-A8) Fairfax Co.	.010	.009	.011	.007	.007	.005	.006	.006	.006	.005
(L-46-C1) Fairfax Co.	--	--	--	--	--	.006	.006	.006	.004	.005
(L-46-F) Fairfax Co.	**	.006	.008	.004	.004	.003	.003	.003	.003	.003
(L-126-C) Alexandria	.006	.005	.006	.006	.006	.006	.006	.005	.003	.004

** Did not meet EPA's minimum requirements for data capture


Sulfur Dioxide - West Central Region Annual Arithmetic Mean




Sulfur Dioxide - Piedmont Region Annual Arithmetic Mean



Sulfur Dioxide - Tidewater Region Annual Arithmetic Mean



Sulfur Dioxide - Northern Region Annual Arithmetic Mean




Nitrogen dioxide (NO₂) is one in a group of gases referred to as oxides of nitrogen (NO_x). Nitrogen dioxide, which is characterized by a reddish-brown color and pungent odor, along with the other NO_x gases, results from high-temperature burning of fossil fuels in automobiles, power plants, and other industrial, commercial, and residential sources. NO_x can occur naturally from lightning, forest fires, and bacterial processes that take place in soil.

NO_x pollution contributes to a wide range of problems in the environment. Ground-level ozone, a major component of “smog”, forms when NO_x and volatile organic compounds (VOCs) react in the presence of sunlight. NO_x also reacts with other gases and particles in the air to form acids that contribute to acid deposition, and to form small particles that can be inhaled into the lungs. NO_x contributes to water quality deterioration by depositing nitrogen into water bodies, upsetting the nutrient balance and causing oxygen depletion in the water so that fish and other aquatic life cannot survive. Nitrate particles and nitrogen dioxide also contribute to visibility impairment by blocking light transmission.

EPA has established primary and secondary air quality standards for NO₂ because it can cause lung irritation and respiratory problems in humans. Small particles formed from reaction of NO_x gases with other compounds can be inhaled deep into the lungs and cause or worsen respiratory conditions such as emphysema and bronchitis, and can aggravate existing heart conditions.

Nitrogen oxides are measured continuously with electronic instruments using the “gas phase chemiluminescence” method. The instrument has a pump that draws ambient air into a reaction chamber. Inside the chamber, the air is mixed with a high concentration of ozone (O₃). Any nitric oxide (NO) present in the sample air reacts with O₃ to produce NO₂. The NO₂ molecules created by the reaction are in an excited state, and emit light characteristic of NO₂ – this is called “chemiluminescence.” The light produced in the reaction is detected with a photomultiplier tube, and the resulting signal is converted to a number reflecting the concentration of NO in the ambient air by the instrument computer. The instrument then activates a valve that diverts incoming ambient air into a “converter”, which converts any NO₂ in the ambient air to NO by reduction reaction. After the air passes through the converter, it is sent to the reaction chamber where the NO and O₃ react to produce NO₂. The chemiluminescence produced by the reaction is converted to a signal that reflects the concentration of NO_x in the ambient air. The instrument then calculates the NO₂ concentration using the difference between the measured NO and NO_x concentrations.



NO₂ Monitoring Network

NAAQS Standards

Primary Standard for NO₂:

★ Annual Arithmetic Mean not to exceed 0.053 ppm (100 µg/m³).


Secondary Standard for NO₂:

★ Same as primary.


Site	Annual Arithmetic Mean									
	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
(26-F) Rockingham Co.	--	--	--	--	--	--	--	.014	.012	.011
(19-A6) Roanoke Co.	.014	.012	.011	.014	.013	.013	.014	.014	.012	.010
(75-B) Charles City Co.	.012	.011	.011	.012	.012	.011	.011	.010	.010	.007
(158-W) Richmond	.021	.020	.017	.021	.020	.016	.015	.016	.016	.014
(181-A1) Norfolk	--	--	--	--	--	--	--	--	--	.012
(38-I) Loudoun Co.	--	.014	.013	.014	.014	.016	.015	.014	.013	.011
(45-L) Prince William Co.	.015	.012	.009	.011	.011	.012	.010	.009	.007	.007
(47-T) Arlington Co.	.025	.025	.023	.022	.022	.026	.022	.021	.018	.016
(L-46-A8) Fairfax Co.	.022	.020	.021	.020	**	**	.018	.017	.015	.014
(L-46-C1) Fairfax Co.	--	--	--	--	--	.018	.017	.018	.015	.013
(L-46-F) Fairfax Co.	.012	.011	.010	.009	.009	.010	.010	.010	.008	.008
(L-126-C) Alexandria	.027	.025	.023	.023	.025	.023	.024	.024	.020	.018

** Did not meet EPA's minimum requirements for data capture


Nitrogen Dioxide - West Central Region Annual Arithmetic Mean



Nitrogen Dioxide - Piedmont Region Annual Arithmetic Mean



Nitrogen Dioxide - Northern Region Annual Arithmetic Mean



Ozone (O₃) is a gas comprised of three oxygen atoms. It is unstable, and a strong oxidizing agent, and will react readily with other compounds to decay to the more stable diatomic oxygen (O₂).

Ozone can be good or bad, depending on its location in the atmosphere. "Good" ozone occurs naturally in the stratosphere, about 10-30 miles above the earth's surface, where it forms a layer that filters the sun's ultraviolet rays before they reach the surface where they can cause harm to animals and plants. "Bad" ozone, or ground-level ozone, occurs when chemicals found in the atmosphere at earth's surface react in the presence of intense sunlight. Ozone at ground level is harmful because it can cause a variety of health problems, as well as damage to plants and materials. Since ground-level ozone is not emitted directly, it is called a "secondary" pollutant. The chemicals needed to form ozone, NO_x and hydrocarbons (also called volatile organic compounds, or VOCs), can come from motor vehicle exhaust, power plants, industrial emissions, gasoline vapors, chemical solvents, as well as natural sources such as lightning, forest fires, and plant decomposition. Ozone, and the chemicals that produce ozone, can travel hundreds of miles from their sources, so that even rural areas with few pollutant emissions can occasionally experience high ozone levels. Efforts to control ground-level ozone involve limiting emissions of NO_x and VOCs, or "ozone precursors," that are necessary for ozone production.


Ground-level ozone is a seasonal pollutant, and the length of the ozone season varies across the country. In some areas, the season may last most of the year, but in Virginia it is usually only a problem during the late spring to summer months when the sunlight is most intense. Virginia is only required to operate its ozone monitors from the months of April to October, although a few sites operate year-round. In addition to the seasonal pattern, ozone also has a strong diurnal (daily) pattern at low altitudes, so that it is usually depressed at night, but begins to build during the day after the sun rises.

EPA has created primary and secondary air quality standards for ground-level ozone because of its adverse affects on public health and welfare. In humans, ozone can irritate lung airways, causing sunburn-like inflammation, and can induce symptoms such as wheezing, coughing, and pain when taking a deep breath. Although people with existing respiratory problems, such as asthma and emphysema, are most vulnerable, young children and otherwise healthy people can also suffer respiratory problems from ozone exposure. Scientific studies have shown that even at low levels, ozone can trigger breathing problems for sensitive individuals. In addition to human health problems, ozone can damage the leaves of plants and trees, making them susceptible to disease, insects, and harsh weather. Ozone can also cause rubber to harden and crack, and some painted surfaces to fade more quickly.

Ozone is measured continuously with electronic instruments using “ultraviolet (UV) absorption photometry.” The method is based on the principle that ozone strongly absorbs UV light at 254 nanometers (a nanometer is equal to a distance of one billionth of a meter). The ozone monitor has a sample pump that draws ambient air into it and splits the air into two gas streams. In one stream, the air passes through an “ozone scrubber”, which cleanses the sample air of any ozone. Then the clean air passes through a sample cell that contains a UV light source and a detector. The detector measures the intensity of the light in the sample cell, providing a zero reference. The second air stream is sent straight into the sample cell, bypassing the scrubber. Any ozone present in the incoming air will absorb some of the UV light in the sample cell, reducing the amount of light reaching the detector. The instrument then calculates the ozone concentration of the ambient air from the difference in the light intensities measured between the scrubbed, or “zero” air, and the unscrubbed air.

Daily ozone forecasts for selected metropolitan areas and hourly ozone values for all Virginia ozone monitoring sites can be viewed for the months of April to October on the DEQ web page at <http://www.deq.virginia.gov/airquality/homepage.html>. In addition, animated ozone maps for Virginia and other parts of the United States are available at <http://www.airnow.gov/>.

The National Park Service operated one ozone monitor at Big Meadows in Shenandoah National Park in 2007. Daily data from this site are available at the DEQ website, and historical data may be obtained from the National Park Service, or by internet at <http://12.45.109.6/>.



NAAQS Standards

Primary Standard for O₃:

- ✦ Maximum 8-hour average concentration of 0.08 ppm (157 µg/m³), based on 3-year average of the annual fourth highest daily maximum 8-hour averages.

Secondary Standard for O₃:

- ✦ Same as primary.

The standard is attained if the fourth highest daily maximum 8-hour average for each of the three most recent years are averaged, yielding an average less than 0.085 ppm.


Site	Days Exceeded 0.08 ppm	2007			
		Highest Daily Maximum 8-Hour Avg.			
		1 st Max.	2 nd Max.	3 rd Max.	4 th Max.
(16-B) Wythe Co.	0	.077	.076	.072	.072
(26-F) Rockingham Co.	0	.081	.072	.071	.069
(28-J) Frederick Co.	0	.082	.074	.073	.072
(29-D) Page Co.	0	.074	.072	.071	.069
(19-A6) Roanoke Co.	1	.086	.079	.077	.076
(21-C) Rockbridge Co.	0	.073	.070	.066	.065
(71-H) Chesterfield Co.	1	.094	.081	.081	.077
(72-M) Henrico Co.	4	.095	.089	.088	.085
(73-E) Hanover Co.	1	.097	.084	.084	.079
(75-B) Charles City Co.	3	.090	.087	.085	.084
(179-C) Hampton	2	.092	.086	.077	.076
(183-E) Suffolk	2	.095	.085	.080	.076
(183-F) Suffolk	0	.081	.079	.078	.078
(37-B) Fauquier Co.	0	.073	.070	.070	.069
(38-I) Loudoun Co.	5	.091	.087	.087	.086
(44-A) Stafford Co.	4	.089	.088	.085	.085
(45-L) Prince William Co.	0	.082	.078	.076	.076
(46-B9) Fairfax Co.	4	.094	.090	.088	.085
(47-T) Arlington Co.	8	.095	.088	.088	.088
(48-A) Caroline Co.	2	.086	.085	.079	.078
(L-46-A8) Fairfax Co.	2	.092	.089	.084	.083
(L-46-B3) Fairfax Co.	6	.095	.095	.089	.088
(L-46-C1) Fairfax Co.	2	.095	.088	.084	.084
(L-46-F) Fairfax Co.	0	.081	.079	.078	.078
(L-126-C) Alexandria	3	.090	.085	.085	.084

2005-2007 Fourth-Highest Daily Maximum 8-Hour Ozone Averages (units parts per million)					
	Monitor Location (County/City)	2005	2006	2007	3-Year Average (NAAQS = .08 ppm)
Roanoke EAC Area	Roanoke Co.	.076	.076	.076	.076
Richmond Nonattainment Area	Chesterfield Co.	.078	.077	.077	.077
	Henrico Co.	.084	.086	.085	.085
	Hanover Co.	.083	.082	.079	.081
	Charles City Co.	.083	.081	.084	.082
Hampton Roads Nonattainment Area	Hampton City	.078	.076	.076	.076
	Suffolk City (TCC)	.077	.077	.076	.076
	Suffolk City (Holland)	.078	.071	.078	.075
Winchester EAC Area	Frederick Co.	.075	.074	.072	.073
Fredericksburg Nonattainment Area	Stafford Co.	.079	.091	.085	.085
Northern Virginia Nonattainment Area	Loudoun Co.	.077*	.084	.086	.082
	Prince William Co.	.074	.086	.076	.078
	Arlington Co.	.088	.085	.088	.087
	Alexandria City	.081	.084	.084	.083
	Fairfax Co. (Lee Park)	.088	.087	.085	.086
	Fairfax Co. (McLean)	.080	.088	.083	.083
	Fairfax Co. (Chantilly)	.076	.081	.078	.078
	Fairfax Co. (Annandale)	.085	.085	.084	.084
	Fairfax Co. (Mt. Vernon)	.091	.088	.088	.089
Shenandoah National Park Nonattainment Area	Madison Co. (Big Meadows)	.080	.076	.073	.076
Areas Currently Designated Attainment	Wythe Co.	.075	.069	.072	.072
	Rockbridge Co.	.074	.068	.065	.069
	Page Co.	.077	.073	.069	.073
	Fauquier Co.	.073	.076	.069	.072
	Caroline Co.	.082	.085	.078	.081


* Loudoun Co. monitor did not meet EPA's minimum requirements for data capture in 2005.

A 3-year average of .085 ppm or above exceeds the 8-hour NAAQS for ozone. For the period from 2005-2007, the counties of Fairfax and Arlington exceeded the ozone air quality standards.


Ozone - Southwest Region 4th Daily Maximum, 8-Hour Value




Ozone - Valley Region 4th Daily Maximum, 8-Hour Value




Ozone - West Central Region 4th Daily Maximum, 8-Hour Value




Ozone - Piedmont Region 4th Daily Maximum, 8-Hour Value



Ozone - Tidewater Region 4th Daily Maximum, 8-Hour Value



Ozone - Northern Region 4th Daily Maximum, 8-Hour Value



1-Hour Highest Daily Maximum Average

Site	Days Exceeded 0.12 ppm	2007			
		Highest Daily Maximum 1-Hour Avg.			
		1 st Max.	2 nd Max.	3 rd Max.	4 th Max.
(16-B) Wythe Co.	0	.085	.081	.075	.075
(26-F) Rockingham Co.	0	.097	.082	.082	.080
(28-J) Frederick Co.	0	.087	.086	.086	.084
(29-D) Page Co.	0	.088	.079	.078	.076
(19-A6) Roanoke Co.	0	.099	.094	.091	.086
(21-C) Rockbridge Co.	0	.091	.083	.073	.073
(71-H) Chesterfield Co.	0	.093	.091	.090	.084
(72-M) Henrico Co.	0	.114	.108	.103	.098
(73-E) Hanover Co.	0	.118	.104	.101	.098
(75-B) Charles City Co.	0	.105	.103	.099	.097
(179-C) Hampton	0	.098	.093	.092	.091
(183-E) Suffolk	0	.103	.097	.091	.090
(183-F) Suffolk	0	.089	.086	.086	.085
(37-B) Fauquier Co.	0	.079	.075	.075	.074
(38-I) Loudoun Co.	0	.112	.104	.094	.094
(44-A) Stafford Co.	0	.109	.103	.102	.097
(45-L) Prince William Co.	0	.093	.093	.092	.089
(46-B9) Fairfax Co.	0	.108	.104	.103	.098
(47-T) Arlington Co.	0	.110	.108	.103	.102
(48-A) Caroline Co.	0	.102	.097	.095	.089
(L-46-A8) Fairfax Co.	0	.099	.099	.098	.097
(L-46-B3) Fairfax Co.	0	.106	.105	.103	.101
(L-46-C1) Fairfax Co.	0	.114	.096	.095	.094
(L-46-F) Fairfax Co.	0	.101	.090	.090	.089
(L-126-C) Alexandria	0	.105	.103	.100	.098

Acid Deposition Program


**Photochemical Assessment
Monitoring Stations**

Air Toxics Monitoring Network

The Virginia Department of Environmental Quality sponsored three National Acid Deposition Program (NADP) sites in 2007: Harcum in Gloucester County, Natural Bridge Station in Rockbridge County, and Mason Neck in Fairfax County.

The NADP has eight monitoring sites in Virginia: Big Meadows (Shenandoah National Park), Hortons Station (Giles County), Charlottesville, Prince Edward County, Harcum (Gloucester County), Harrisonburg (Rockingham County), Natural Bridge Station (Rockbridge County), and Mason Neck (Fairfax County). NADP site information and data are available on-line at <http://nadp.sws.uiuc.edu>.

In addition to the eight acid deposition monitors, there are two NADP Mercury Deposition Network (MDN) sites in Virginia: Harcum (Gloucester County), and Big Meadows (Shenandoah National Park). MDN site information and data are available on-line at <http://nadp.sws.uiuc.edu/mdn>.



Acid Precipitation Monitors

In 2007, the Air Quality Monitoring (AQM) program of the Department of Environmental Quality operated two Photochemical Assessment Monitoring stations (PAMS) at Corbin in Caroline County, and the MathScience Innovation Center in Henrico County. Additionally, 24-hour PAMS Volatile Organic Compounds (VOC) samples were collected from two core Air Toxics Monitoring Network (ATMN) sites located on the property of the DEQ Tidewater Regional Office (TRO) in Va. Beach, and Lee District Park in Fairfax County, using a one in six day sampling schedule.


Corbin was operated all year as a PAMS Type I site, collecting 24-hour VOC samples every six days (a Type I site measures upwind background ozone precursor concentrations). In addition, 3-hour episodic sampling was conducted on days forecasted to be high ozone alert days for the Washington-Baltimore area during the period of June to August in the summer.

The MathScience Innovation Center monitoring station was operated as a revised PAMS Type II site during the 2007 season, collecting one 24-hour VOC canister sample every six days all year (a Type II site measures maximum ozone precursor concentrations in the primary downwind direction on days conducive to ozone formation). Hourly samples were collected using an Auto Gas Chromatograph during peak ozone season (months of June, July and August).

AQM used the manual method for collecting ambient air samples. This method involves the collection of integrated, whole samples by using evacuated Summa^T canisters and RMESI (RM Environmental Systems, Inc.) air samplers. Each VOC sample from Corbin was analyzed by the Division of Consolidated Laboratory Services using a Gas Chromatograph/Flame Ionization Detector. Samples from MathScience Innovation Center, Lee District Park, and TRO were analyzed by the Maryland Department of the Environment, Air and Radiation Management Administration, using a Gas Chromatograph/Flame Ionization Detector.

All VOC samples were analyzed for the presence of fifty-six target volatile organic precursors, and the measured concentration of Total Nonmethane Organic Compounds (TNMOC).

Detailed PAMS data are available upon written request to the Virginia Department of Environmental Quality, Office of Air Quality Monitoring.



Photochemical Assessment Monitoring Network

2007 Average Concentration of Detectable Volatile Ozone Precursors
Photochemical Assessment Monitoring Station (PAMS) Type I - Corbin, VA
 Concentrations are in ppbC

Parameter	Compound Name	Num	Minimum	Maximum	Median	Average	StDev
43141	n-dodecane	59	0.00	13.20	0.340	0.703	1.822
43202	Ethane	59	0.39	13.58	3.555	4.102	2.924
43203	Ethylene	59	0.14	5.86	1.010	1.330	1.180
43204	Propane	59	0.89	13.89	3.210	3.828	2.518
43205	Propylene	59	0.17	1.58	0.370	0.454	0.279
43206	Acetylene	59	0.03	20.01	1.540	2.482	3.301
43212	n-butane	59	0.17	7.34	3.160	2.993	1.774
43214	Isobutane	59	0.00	5.54	0.305	0.901	1.288
43216	t-2-butene	59	0.00	3.62	0.020	0.749	0.945
43217	c-2-butene	59	0.00	5.07	1.150	1.479	1.314
43220	n-pentane	59	0.00	5.45	0.870	1.033	0.864
43221	Isopentane	59	0.30	36.08	2.475	4.642	6.459
43224	1-pentene	59	0.00	11.20	4.040	4.449	2.949
43226	t-2-pentene	59	0.00	8.01	0.000	0.594	1.443
43227	c-2-pentene	59	0.00	3.85	0.020	0.660	1.093
43230	3-methylpentane	59	0.16	4.37	1.040	1.256	0.977
43231	n-hexane	59	0.00	0.87	0.090	0.157	0.181
43232	n-heptane	59	0.00	0.77	0.240	0.290	0.162
43233	n-octane	59	0.00	0.41	0.000	0.125	0.146
43235	n-nonane	59	0.00	1.81	0.300	0.433	0.397
43238	n-decane	59	0.00	6.81	0.830	1.281	1.320
43242	Cyclopentane	59	0.00	0.95	0.095	0.149	0.197
43243	Isoprene	59	0.00	40.82	0.920	5.495	8.541
43244	2,2-dimethylbutane	59	0.00	1.36	0.145	0.300	0.349
43245	1-hexene	59	0.00	0.83	0.000	0.141	0.209
43247	2,4-dimethylpentane	59	0.00	0.54	0.145	0.140	0.132
43248	Cyclohexane	59	0.10	4.37	0.915	1.358	1.132
43249	3-methylhexane	59	0.07	1.72	0.840	0.793	0.429
43250	2,2,4-trimethylpentane	59	0.00	1.40	0.365	0.413	0.232
43252	2,3,4-trimethylpentane	59	0.00	0.48	0.000	0.055	0.103
43253	3-methylheptane	59	0.12	1.77	0.635	0.686	0.362
43261	Methylcyclohexane	59	0.00	1.05	0.000	0.051	0.156
43262	Methylcyclopentane	59	0.15	1.50	0.390	0.448	0.269
43263	2-methylhexane	59	0.00	1.27	0.475	0.507	0.270
43280	1-butene	59	0.13	3.42	0.615	0.852	0.634
43284	2,3-dimethylbutane	59	0.00	0.37	0.080	0.111	0.119
43285	2-methylpentane	59	0.08	5.39	0.850	1.243	1.066
43291	2,3-dimethylpentane	59	0.00	0.57	0.035	0.103	0.145
43954	n-undecane	59	0.00	2.77	0.080	0.343	0.572
43960	2-methylheptane	59	0.00	0.91	0.000	0.196	0.294
45109	m/p-xylene	59	0.00	1.90	0.380	0.483	0.419
45201	Benzene	59	0.00	1.36	0.000	0.093	0.217
45202	Toluene	59	0.42	3.63	1.050	1.210	0.617
45203	Ethylbenzene	59	0.00	0.60	0.140	0.172	0.170
45204	o-xylene	59	0.00	1.69	0.360	0.551	0.471
45207	1,3,5-trimethylbenzene	59	0.00	0.83	0.000	0.131	0.221
45208	1,2,4-trimethylbenzene	59	0.00	3.06	0.900	0.997	0.761
45209	n-propylbenzene	59	0.00	1.96	0.070	0.299	0.424
45210	Isopropylbenzene	59	0.00	0.07	0.000	0.001	0.009
45211	o-ethyltoluene	59	0.00	3.13	0.330	0.434	0.480
45212	m-ethyltoluene	59	0.00	1.75	0.340	0.437	0.423
45213	p-ethyltoluene	59	0.00	0.85	0.135	0.169	0.192
45218	m-diethylbenzene	59	0.00	0.98	0.185	0.266	0.294
45219	p-diethylbenzene	59	0.00	1.57	0.000	0.151	0.264
45220	Styrene	59	0.00	2.10	0.110	0.201	0.349
45225	1,2,3-trimethylbenzene	59	0.00	8.32	1.095	1.471	1.336
43000	PAMHC	59	28.98	103.11	47.975	53.546	17.883
43102	TNMOC	59	32.06	235.78	68.100	74.360	36.042

**2007 Average Concentration of Detectable Volatile Ozone Precursors
Photochemical Assessment Monitoring Station (PAMS) Type II – MathScience
Innovation Ctr.** (Concentrations are in ppbC)

Parameter	Compound Name	Num	Minimum	Maximum	Median	Average	StDev
43141	n-dodecane	59	0.00	3.89	0.300	0.566	0.766
43202	Ethane	59	2.45	34.34	7.910	10.311	6.789
43203	Ethylene	59	0.71	11.72	2.130	2.966	2.086
43204	Propane	59	2.20	25.50	6.290	8.266	5.346
43205	Propylene	59	0.35	3.49	1.030	1.231	0.655
43206	Acetylene	59	0.56	10.12	1.940	2.304	1.703
43212	n-butane	59	0.87	22.36	4.060	6.271	5.490
43214	Isobutane	59	0.48	7.01	1.790	2.305	1.587
43216	t-2-butene	59	0.00	0.56	0.110	0.156	0.113
43217	c-2-butene	59	0.04	0.56	0.110	0.148	0.109
43220	n-pentane	59	0.61	5.95	2.310	2.621	1.362
43221	Isopentane	59	0.80	14.45	4.100	4.921	3.114
43224	1-pentene	59	0.15	0.96	0.320	0.364	0.174
43226	t-2-pentene	59	0.08	1.70	0.430	0.520	0.350
43227	c-2-pentene	59	0.04	0.65	0.160	0.194	0.140
43230	3-methylpentane	59	0.21	2.80	0.990	1.111	0.615
43231	n-hexane	59	0.21	2.88	1.190	1.318	0.687
43232	n-heptane	59	0.16	1.49	0.580	0.614	0.322
43233	n-octane	59	0.08	0.82	0.250	0.306	0.165
43235	n-nonane	59	0.07	0.84	0.400	0.411	0.186
43238	n-decane	59	0.05	1.19	0.360	0.427	0.257
43242	Cyclopentane	59	0.07	0.67	0.250	0.277	0.153
43243	Isoprene	59	0.06	20.15	0.730	2.843	3.947
43244	2,2-dimethylbutane	59	0.10	0.65	0.280	0.304	0.134
43245	1-Hexene	59	0.05	0.31	0.120	0.135	0.056
43247	2,4-dimethylpentane	59	0.00	0.70	0.210	0.235	0.137
43248	Cyclohexane	59	0.00	0.73	0.220	0.257	0.148
43249	3-methylhexane	59	0.24	2.19	0.810	0.916	0.421
43250	2,2,4-trimethylpentane	59	0.22	4.02	0.990	1.185	0.766
43252	2,3,4-trimethylpentane	59	0.11	1.62	0.400	0.487	0.302
43253	3-methylheptane	59	0.00	0.49	0.180	0.190	0.129
43261	Methylcyclohexane	59	0.00	0.87	0.310	0.348	0.199
43262	Methylcyclopentane	59	0.31	2.15	0.820	0.921	0.419
43263	2-methylhexane	59	0.43	1.87	0.930	1.002	0.368
43280	1-butene	59	0.03	1.03	0.210	0.285	0.194
43284	2,3-dimethylbutane	59	0.10	1.42	0.460	0.504	0.301
43285	2-methylpentane	59	0.68	5.81	2.510	2.664	1.110
43291	2,3-dimethylpentane	59	0.00	0.75	0.260	0.294	0.167
43954	n-undecane	59	0.00	1.41	0.290	0.352	0.288
43960	2-methylheptane	59	0.00	0.59	0.200	0.244	0.137
45109	m/p-xylene	59	0.47	4.15	1.770	1.900	0.941
45201	Benzene	59	0.59	4.06	1.670	1.868	0.792
45202	Toluene	59	0.98	9.19	3.440	3.922	1.918
45203	Ethylbenzene	59	0.19	1.58	0.580	0.676	0.340
45204	o-xylene	59	0.16	1.73	0.630	0.728	0.385
45207	1,3,5-trimethylbenzene	59	0.07	1.11	0.430	0.444	0.252
45208	1,2,4-trimethylbenzene	59	0.09	2.44	0.880	0.982	0.541
45209	n-propylbenzene	59	0.05	0.82	0.350	0.356	0.178
45210	Isopropylbenzene	59	0.00	0.20	0.070	0.084	0.038
45211	o-ethyltoluene	59	0.06	0.79	0.200	0.235	0.155
45212	m-ethyltoluene	59	0.13	1.87	0.750	0.804	0.428
45213	p-ethyltoluene	59	0.00	1.34	0.580	0.588	0.319
45218	m-diethylbenzene	59	0.02	0.77	0.130	0.189	0.164
45219	p-diethylbenzene	59	0.02	0.80	0.180	0.201	0.146
45220	Styrene	59	0.00	0.39	0.150	0.164	0.099
45225	1,2,3-trimethylbenzene	59	0.03	0.66	0.230	0.253	0.140
43000	PAMHC	59	21.89	188.78	60.630	74.167	37.401
43102	TNMOC	59	45.12	259.06	137.000	142.564	54.868

2007 Detectable Volatile Ozone Precursors in 24-Hour Canister Samples
GC/FID
Lee District Park
Concentrations are in ppbC

Parameter	Compound Name	Num	Minimum	Maximum	Median	Average	StDev
43141	n-dodecane	58	0.03	0.43	0.135	0.161	0.096
43202	Ethane	58	2.13	24.77	5.795	6.869	4.054
43203	Ethylene	58	0.71	7.49	1.540	2.124	1.547
43204	Propane	58	1.55	17.37	4.315	5.164	2.968
43205	Propylene	58	0.33	2.78	0.640	0.818	0.489
43206	Acetylene	58	0.55	6.36	1.415	1.903	1.402
43212	n-butane	58	0.71	13.79	2.690	3.726	3.005
43214	Isobutane	58	0.40	5.66	1.260	1.578	1.029
43216	t-2-butene	58	0.02	0.37	0.060	0.082	0.061
43217	c-2-butene	58	0.03	0.33	0.060	0.076	0.054
43220	n-pentane	58	0.55	4.35	1.545	1.637	0.764
43221	Isopentane	58	0.92	7.36	2.455	2.744	1.428
43224	1-pentene	58	0.12	0.44	0.205	0.221	0.069
43226	t-2-pentene	58	0.05	0.68	0.170	0.209	0.136
43227	c-2-pentene	58	0.03	0.25	0.070	0.085	0.049
43230	3-methylpentane	58	0.20	1.55	0.555	0.642	0.316
43231	n-hexane	58	0.27	1.97	0.725	0.802	0.394
43232	n-heptane	58	0.14	1.03	0.360	0.386	0.192
43233	n-octane	58	0.06	0.44	0.190	0.197	0.083
43235	n-nonane	58	0.08	0.60	0.260	0.276	0.122
43238	n-decane	58	0.07	0.76	0.235	0.273	0.147
43242	Cyclopentane	58	0.05	0.35	0.140	0.150	0.066
43243	Isoprene	58	0.04	19.54	0.335	3.626	5.063
43244	2,2-dimethylbutane	58	0.07	0.46	0.190	0.203	0.081
43245	1-Hexene	58	0.04	0.16	0.090	0.091	0.028
43247	2,4-dimethylpentane	58	0.00	0.32	0.130	0.140	0.065
43248	Cyclohexane	58	0.00	0.34	0.140	0.132	0.086
43249	3-methylhexane	58	0.17	1.07	0.545	0.575	0.174
43250	2,2,4-trimethylpentane	58	0.15	1.44	0.610	0.658	0.318
43252	2,3,4-trimethylpentane	58	0.00	0.56	0.250	0.267	0.118
43253	3-methylheptane	58	0.00	0.36	0.105	0.095	0.093
43261	Methylcyclohexane	58	0.00	0.60	0.190	0.207	0.113
43262	Methylcyclopentane	58	0.21	1.08	0.515	0.557	0.207
43263	2-methylhexane	58	0.29	1.08	0.590	0.609	0.177
43280	1-butene	58	0.04	0.92	0.150	0.236	0.199
43284	2,3-dimethylbutane	58	0.08	0.67	0.260	0.285	0.137
43285	2-methylpentane	58	0.57	3.11	1.670	1.707	0.593
43291	2,3-dimethylpentane	58	0.07	0.43	0.165	0.183	0.085
43954	n-undecane	58	0.07	0.69	0.315	0.331	0.151
43960	2-methylheptane	58	0.00	0.46	0.140	0.153	0.088
45109	m/p-xylene	58	0.32	3.48	1.150	1.286	0.652
45201	Benzene	58	0.57	3.22	1.085	1.261	0.604
45202	Toluene	58	0.67	5.86	2.305	2.504	1.141
45203	Ethylbenzene	58	0.12	1.23	0.390	0.445	0.218
45204	o-xylene	58	0.16	1.08	0.425	0.470	0.216
45207	1,3,5-trimethylbenzene	58	0.07	0.79	0.240	0.273	0.151
45208	1,2,4-trimethylbenzene	58	0.16	1.90	0.535	0.614	0.345
45209	n-propylbenzene	58	0.05	0.39	0.185	0.198	0.086
45210	Isopropylbenzene	58	0.00	0.16	0.060	0.069	0.031
45211	o-ethyltoluene	58	0.04	0.70	0.180	0.202	0.122
45212	m-ethyltoluene	58	0.11	1.29	0.470	0.503	0.266
45213	p-ethyltoluene	58	0.07	0.92	0.325	0.363	0.190
45218	m-diethylbenzene	58	0.03	0.18	0.095	0.094	0.036
45219	p-diethylbenzene	58	0.03	0.20	0.110	0.113	0.049
45220	Styrene	58	0.00	0.64	0.095	0.154	0.148
45225	1,2,3-trimethylbenzene	58	0.04	0.48	0.165	0.178	0.094
43000	PAMHC	58	19.59	131.43	46.025	48.839	21.235
43102	TNMOC	58	34.80	197.89	81.765	87.650	31.426

2007 Detectable Volatile Ozone Precursors in 24-Hour Canister Samples
GC/FID
Tidewater Regional Office (TRO)
 Concentrations are in ppbC


Parameter	Compound Name	Num	Minimum	Maximum	Median	Average	StDev
43141	n-dodecane	60	0.00	0.58	0.125	0.151	0.147
43202	Ethane	60	1.84	25.03	5.730	6.838	4.681
43203	Ethylene	60	0.71	10.64	1.770	2.606	2.076
43204	Propane	60	1.30	144.27	9.915	13.150	19.786
43205	Propylene	60	0.42	3.92	0.805	1.083	0.724
43206	Acetylene	60	0.44	8.80	1.775	2.215	1.820
43212	n-butane	60	0.59	17.82	4.015	4.890	3.945
43214	Isobutane	60	0.32	6.79	1.680	2.174	1.567
43216	t-2-butene	60	0.00	0.90	0.125	0.190	0.168
43217	c-2-butene	60	0.04	0.66	0.100	0.154	0.120
43220	n-pentane	60	0.64	6.95	1.765	2.221	1.390
43221	Isopentane	60	1.15	14.93	3.490	4.499	3.082
43224	1-pentene	60	0.12	1.21	0.310	0.350	0.196
43226	t-2-pentene	60	0.11	2.08	0.440	0.550	0.410
43227	c-2-pentene	60	0.05	0.75	0.140	0.188	0.153
43230	3-methylpentane	60	0.21	3.16	0.860	1.040	0.682
43231	n-hexane	60	0.26	3.91	1.075	1.279	0.851
43232	n-heptane	60	0.16	1.76	0.475	0.566	0.344
43233	n-octane	60	0.10	0.67	0.205	0.260	0.138
43235	n-nonane	60	0.10	0.94	0.300	0.351	0.190
43238	n-decane	60	0.05	2.23	0.250	0.350	0.348
43242	Cyclopentane	60	0.06	0.75	0.185	0.229	0.149
43243	Isoprene	60	0.06	8.18	0.625	1.430	1.735
43244	2,2-dimethylbutane	60	0.08	0.71	0.235	0.270	0.144
43245	1-Hexene	60	0.05	0.23	0.100	0.117	0.045
43247	2,4-dimethylpentane	60	0.00	0.59	0.180	0.222	0.138
43248	Cyclohexane	60	0.00	0.64	0.220	0.255	0.152
43249	3-methylhexane	60	0.24	1.78	0.730	0.744	0.271
43250	2,2,4-trimethylpentane	60	0.22	3.12	0.785	0.992	0.644
43252	2,3,4-trimethylpentane	60	0.12	1.15	0.320	0.390	0.244
43253	3-methylheptane	60	0.00	0.66	0.150	0.174	0.133
43261	Methylcyclohexane	60	0.00	0.99	0.260	0.300	0.191
43262	Methylcyclopentane	60	0.33	2.30	0.775	0.884	0.478
43263	2-methylhexane	60	0.33	2.07	0.830	0.868	0.367
43280	1-butene	60	0.09	1.07	0.190	0.268	0.189
43284	2,3-dimethylbutane	60	0.10	1.55	0.390	0.475	0.313
43285	2-methylpentane	60	0.75	6.13	2.255	2.503	1.223
43291	2,3-dimethylpentane	60	0.08	0.89	0.230	0.266	0.170
43954	n-undecane	60	0.00	2.16	0.270	0.338	0.367
43960	2-methylheptane	60	0.08	0.83	0.195	0.231	0.144
45109	m/p-xylene	60	0.42	5.16	1.590	1.875	1.149
45201	Benzene	60	0.44	4.20	1.270	1.491	0.785
45202	Toluene	60	0.79	9.92	3.155	3.666	2.115
45203	Ethylbenzene	60	0.20	1.81	0.540	0.650	0.397
45204	o-xylene	60	0.15	1.86	0.570	0.664	0.395
45207	1,3,5-trimethylbenzene	60	0.08	1.18	0.370	0.419	0.268
45208	1,2,4-trimethylbenzene	60	0.18	2.70	0.725	0.884	0.600
45209	n-propylbenzene	60	0.08	0.67	0.350	0.331	0.151
45210	Isopropylbenzene	60	0.00	0.18	0.070	0.079	0.034
45211	o-ethyltoluene	60	0.06	0.90	0.235	0.262	0.167
45212	m-ethyltoluene	60	0.20	1.91	0.670	0.741	0.426
45213	p-ethyltoluene	60	0.11	1.14	0.455	0.489	0.270
45218	m-diethylbenzene	60	0.02	0.29	0.125	0.139	0.074
45219	p-diethylbenzene	60	0.02	0.44	0.175	0.187	0.113
45220	Styrene	60	0.00	0.56	0.160	0.189	0.117
45225	1,2,3-trimethylbenzene	60	0.05	0.68	0.205	0.240	0.152
43000	PAMHC	60	19.83	247.17	56.000	68.363	43.532
43102	TNMOC	60	46.50	344.53	106.090	122.585	59.188

In 2007, the Air Quality Monitoring (AQM) program of the Department of Environmental Quality operated three Air Toxics Monitoring Network (ATMN) stations. These sites are located at the MathScience Innovation Center in Henrico County, DEQ Tidewater Regional Office (TRO) in Va. Beach, and Lee District Park in Fairfax County. Sampling at these sites consisted of VOC, Carbonyl, and Total Suspended Particulate (TSP) collection. Please note that the TRO site replaces the NOAA property site in the City of Norfolk. The site was moved in January of 2005. Sampling frequency consisted of 24-hour samples collected every 6th day. Data from these sites will be used to characterize air toxics concentrations in the respective urban areas.

AQM used the manual method for collecting ambient air samples for VOC analysis. Whole air samples were collected using evacuated Summa^T or Silco^T canisters and RMESI (RM Environmental Systems, Inc.) air samplers. Each sample was analyzed by the Maryland Department of the Environment, Air and Radiation Management Administration, using a Gas Chromatograph equipped with a Mass Selective Detector, using method TO15.

Carbonyls were collected on DNPH (2,4-Dinitrophenylhydrazine) treated sorbent tubes using ATEC cartridge samplers. Analyses were performed by the Philadelphia Health Department using a Liquid Chromatographic procedure, using method TO11A.

Detailed data collected at these sites in 2007 are available upon written request to the Virginia Department of Environmental Quality, Office of Air Quality Monitoring.



Detectable VOC in 24-Hour Canister Samples
GC/MSD - MathScience Innovation Center - Henrico County, VA
January 1 to December 31, 2007 - Concentrations are in ppbV

Parameter	Compound Name	Num	Minimum	Maximum	Median	Average	StDev
42153	Carbon Disulfide	59	0.01	44.60	0.100	1.185	5.838
43207	Freon 113	59	0.06	0.14	0.090	0.088	0.012
43208	Freon 114	59	0.01	0.05	0.020	0.020	0.005
43209	Ethyl Acetate	59	0.00	0.47	0.030	0.063	0.089
43218	1,3-Butadiene	59	0.00	0.27	0.040	0.061	0.054
43231	Hexane	59	0.03	0.46	0.120	0.158	0.098
43232	Heptane	59	0.02	0.26	0.070	0.086	0.056
43248	Cyclohexane	59	0.00	0.07	0.020	0.028	0.016
43312	Isopropyl Alcohol	59	0.07	26.45	0.540	1.299	3.567
43372	2-Methoxy-2-Methyl-Propane	59	0.00	0.07	0.020	0.022	0.016
43505	Acrolein	59	0.00	1.33	0.230	0.256	0.181
43551	Acetone	59	1.33	17.54	4.710	5.052	2.497
43552	Methyl ethyl Ketone (2-butanone)	59	0.00	0.91	0.470	0.490	0.185
43559	Methyl butyl Ketone (2-hexanone)	59	0.00	0.16	0.040	0.041	0.034
43560	Methyl isobutyl Ketone	59	0.00	0.10	0.010	0.019	0.026
43801	Chloromethane	59	0.50	0.70	0.590	0.600	0.044
43802	Dichloromethane	59	0.05	0.26	0.080	0.086	0.035
43803	Chloroform	59	0.01	0.06	0.020	0.023	0.009
43804	Carbon Tetrachloride	59	0.02	0.12	0.080	0.078	0.018
43806	Bromoform (Tribromomethane)	59	0.00	0.03	0.000	0.001	0.004
43811	Trichlorofluoromethane	59	0.19	0.55	0.270	0.275	0.047
43812	Chloroethane	59	0.00	0.07	0.010	0.012	0.016
43813	1,1-Dichloroethane	59	0.00	0.03	0.000	0.001	0.004
43814	Methyl chloroform	59	0.01	0.04	0.010	0.015	0.007
43815	Ethylene dichloride	59	0.00	0.04	0.010	0.011	0.006
43817	Tetrachloroethylene	59	0.01	0.13	0.030	0.035	0.021
43818	1,1,2,2-Tetrachloroethane	59	0.00	0.03	0.000	0.001	0.004
43819	Bromomethane	59	0.00	0.13	0.010	0.012	0.017
43820	1,1,2-Trichloroethane	59	0.00	0.03	0.000	0.001	0.004
43823	Dichlorodifluoromethane	59	0.43	0.63	0.550	0.545	0.030
43824	Trichloroethylene	59	0.00	0.04	0.000	0.004	0.007
43826	1,1-Dichloroethylene	59	0.00	0.03	0.000	0.001	0.004
43828	Bromodichloromethane	59	0.00	0.03	0.000	0.002	0.005
43829	1,2-Dichloropropane	59	0.00	0.04	0.000	0.002	0.006
43830	trans-1,3-Dichloropropylene	59	0.00	0.02	0.000	0.001	0.004
43831	cis-1,3-Dichloropropylene	59	0.00	0.04	0.000	0.002	0.007
43832	Dibromochloromethane	59	0.00	0.02	0.000	0.000	0.003
43838	Trans-1,2-Dichloroethene	59	0.00	0.03	0.000	0.001	0.004
43839	cis-1,2-Dichloroethene	59	0.00	0.03	0.000	0.001	0.004
43843	Ethylene Dibromide	59	0.00	0.00	0.000	0.000	0.000
43844	Hexachlorobutadiene	59	0.00	0.03	0.000	0.001	0.005
43860	Vinyl Chloride	59	0.00	0.01	0.000	0.001	0.003
45109	m/p-Xylene	59	0.02	0.45	0.130	0.144	0.093
45201	Benzene	59	0.08	0.66	0.210	0.243	0.128
45202	Toluene	59	0.08	1.48	0.390	0.449	0.287
45203	Ethylbenzene	59	0.01	0.15	0.050	0.060	0.037
45204	o-Xylene	59	0.01	0.16	0.050	0.057	0.035
45207	1,3,5-Trimethylbenzene	59	0.00	0.06	0.010	0.017	0.014
45208	1,2,4-Trimethylbenzene	59	0.00	0.20	0.050	0.062	0.047
45213	p-Ethyltoluene	59	0.00	0.13	0.020	0.026	0.025
45220	Styrene	59	0.00	0.06	0.010	0.017	0.014
45801	Chlorobenzene	59	0.00	0.03	0.000	0.002	0.005
45805	1,2-Dichlorobenzene	59	0.00	0.03	0.000	0.002	0.005
45806	1,3-Dichlorobenzene	59	0.00	0.02	0.000	0.001	0.003
45807	1,4-Dichlorobenzene	59	0.00	0.13	0.020	0.029	0.023
45809	Benzyl Chloride	59	0.00	0.05	0.000	0.005	0.009
45810	1,2,4-Trichlorobenzene	59	0.00	0.02	0.000	0.002	0.004
46401	Tetrahydrofuran	59	0.00	0.20	0.010	0.032	0.043

Detectable VOC in 24-Hour Canister Samples
GC/MSD - Lee District Park - Fairfax County, VA
January 1 to December 31, 2007 - Concentrations are in ppbV

Parameter	Compound Name	Num	Minimum	Maximum	Median	Average	StDev
42153	Carbon Disulfide	58	0.01	0.27	0.020	0.037	0.035
43207	Freon 113	58	0.07	0.13	0.085	0.087	0.007
43208	Freon 114	58	0.01	0.04	0.020	0.020	0.005
43209	Ethyl Acetate	58	0.00	0.06	0.010	0.015	0.038
43218	1,3-Butadiene	58	0.00	0.16	0.020	0.038	0.026
43231	Hexane	58	0.04	0.24	0.090	0.097	0.048
43232	Heptane	58	0.01	0.10	0.040	0.042	0.021
43248	Cyclohexane	58	0.00	0.04	0.010	0.014	0.011
43312	Isopropyl Alcohol	58	0.09	4.42	0.250	0.471	1.320
43372	2-Methoxy-2-Methyl-Propane	58	0.00	0.03	0.010	0.013	0.079
43505	Acrolein	58	0.00	0.42	0.170	0.174	0.181
43551	Acetone	58	1.07	12.11	2.965	3.322	1.261
43552	Methyl ethyl Ketone (2-butanone)	58	0.11	0.70	0.280	0.297	0.168
43559	Methyl butyl Ketone (2-hexanone)	58	0.00	0.05	0.010	0.013	0.015
43560	Methyl isobutyl Ketone	58	0.00	0.04	0.000	0.003	0.010
43801	Chloromethane	58	0.45	0.67	0.570	0.563	0.044
43802	Dichloromethane	58	0.05	0.17	0.080	0.082	0.022
43803	Chloroform	58	0.01	0.04	0.020	0.022	0.008
43804	Carbon Tetrachloride	58	0.05	0.10	0.080	0.082	0.009
43806	Bromoform (Tribromomethane)	58	0.00	0.01	0.000	0.000	0.003
43811	Trichlorofluoromethane	58	0.22	0.38	0.260	0.263	0.020
43812	Chloroethane	58	0.00	0.02	0.000	0.004	0.006
43813	1,1-Dichloroethane	58	0.00	0.01	0.000	0.000	0.003
43814	Methyl chloroform	58	0.00	0.02	0.010	0.011	0.005
43815	Ethylene dichloride	58	0.00	0.02	0.010	0.009	0.005
43817	Tetrachloroethylene	58	0.01	0.11	0.030	0.033	0.024
43818	1,1,2,2-Tetrachloroethane	58	0.00	0.01	0.000	0.000	0.003
43819	Bromomethane	58	0.00	0.03	0.010	0.009	0.018
43820	1,1,2-Trichloroethane	58	0.00	0.01	0.000	0.000	0.003
43823	Dichlorodifluoromethane	58	0.47	0.65	0.550	0.552	0.025
43824	Trichloroethylene	58	0.00	0.02	0.010	0.010	0.008
43826	1,1-Dichloroethylene	58	0.00	0.01	0.000	0.000	0.005
43828	Bromodichloromethane	58	0.00	0.01	0.000	0.001	0.003
43829	1,2-Dichloropropane	58	0.00	0.01	0.000	0.001	0.004
43830	trans-1,3-Dichloropropylene	58	0.00	0.00	0.000	0.000	0.003
43831	cis-1,3-Dichloropropylene	58	0.00	0.00	0.000	0.000	0.003
43832	Dibromochloromethane	58	0.00	0.00	0.000	0.000	0.003
43838	Trans-1,2-Dichloroethene	58	0.00	0.01	0.000	0.000	0.003
43839	cis-1,2-Dichloroethene	58	0.00	0.01	0.000	0.000	0.003
43843	Ethylene Dibromide	58	0.00	0.01	0.000	0.000	0.003
43844	Hexachlorobutadiene	58	0.00	0.01	0.000	0.001	0.005
43860	Vinyl Chloride	58	0.00	0.01	0.000	0.000	0.003
45109	m/p-Xylene	58	0.02	0.32	0.070	0.080	0.059
45201	Benzene	58	0.08	0.56	0.150	0.191	0.085
45202	Toluene	58	0.07	0.72	0.240	0.263	0.154
45203	Ethylbenzene	58	0.01	0.12	0.030	0.036	0.023
45204	o-Xylene	58	0.01	0.08	0.030	0.031	0.022
45207	1,3,5-Trimethylbenzene	58	0.00	0.02	0.010	0.008	0.010
45208	1,2,4-Trimethylbenzene	58	0.01	0.10	0.030	0.034	0.026
45213	p-Ethyltoluene	58	0.00	0.08	0.010	0.017	0.012
45220	Styrene	58	0.00	0.13	0.010	0.012	0.009
45801	Chlorobenzene	58	0.00	0.01	0.000	0.001	0.005
45805	1,2-Dichlorobenzene	58	0.00	0.01	0.000	0.001	0.004
45806	1,3-Dichlorobenzene	58	0.00	0.01	0.000	0.000	0.003
45807	1,4-Dichlorobenzene	58	0.00	0.02	0.010	0.009	0.009
45809	Benzyl Chloride	58	0.00	0.03	0.000	0.004	0.005
45810	1,2,4-Trichlorobenzene	58	0.00	0.01	0.000	0.002	0.005
46401	Tetrahydrofuran	58	0.00	0.05	0.000	0.007	0.034

Detectable VOC in 24-Hour Canister Samples
GC/MSD - Tidewater Regional Office (TRO) – Va. Beach, VA
January 1 to December 31, 2007 – Concentrations are in ppbV

Parameter	Compound Name	Num	Minimum	Maximum	Median	Average	StDev
42153	Carbon Disulfide	60	0.01	4.12	0.070	0.244	0.566
43207	Freon 113	60	0.07	0.11	0.080	0.085	0.007
43208	Freon 114	60	0.01	0.02	0.020	0.020	0.002
43209	Ethyl Acetate	60	0.00	0.16	0.015	0.030	0.034
43218	1,3-Butadiene	60	0.00	0.28	0.030	0.061	0.061
43231	Hexane	60	0.03	0.57	0.130	0.167	0.128
43232	Heptane	60	0.02	0.20	0.060	0.069	0.044
43248	Cyclohexane	60	0.00	0.09	0.020	0.029	0.022
43312	Isopropyl Alcohol	60	0.10	2.91	0.270	0.373	0.407
43372	2-Methoxy-2-Methyl-Propane	60	0.00	0.10	0.020	0.025	0.024
43505	Acrolein	60	0.01	0.45	0.200	0.202	0.095
43551	Acetone	60	1.19	7.99	4.180	4.249	1.753
43552	Methyl ethyl Ketone (2-butanone)	60	0.12	0.65	0.295	0.336	0.130
43559	Methyl butyl Ketone (2-hexanone)	60	0.00	0.08	0.010	0.016	0.023
43560	Methyl isobutyl Ketone	60	0.00	0.23	0.010	0.018	0.039
43801	Chloromethane	60	0.52	0.80	0.610	0.618	0.047
43802	Dichloromethane	60	0.05	1.31	0.085	0.122	0.164
43803	Chloroform	60	0.01	0.06	0.020	0.024	0.010
43804	Carbon Tetrachloride	60	0.05	0.10	0.090	0.084	0.012
43806	Bromoform (Tribromomethane)	60	0.00	0.01	0.000	0.000	0.002
43811	Trichlorofluoromethane	60	0.23	0.33	0.260	0.260	0.017
43812	Chloroethane	60	0.00	0.10	0.000	0.007	0.015
43813	1,1-Dichloroethane	60	0.00	0.01	0.000	0.000	0.001
43814	Methyl chloroform	60	0.01	0.02	0.010	0.013	0.005
43815	Ethylene dichloride	60	0.00	0.02	0.010	0.010	0.004
43817	Tetrachloroethylene	60	0.01	2.74	0.105	0.192	0.369
43818	1,1,2,2-Tetrachloroethane	60	0.00	0.01	0.000	0.000	0.002
43819	Bromomethane	60	0.00	0.10	0.010	0.013	0.014
43820	1,1,2-Trichloroethane	60	0.00	0.01	0.000	0.000	0.001
43823	Dichlorodifluoromethane	60	0.50	0.66	0.550	0.554	0.025
43824	Trichloroethylene	60	0.00	0.04	0.005	0.007	0.008
43826	1,1-Dichloroethylene	60	0.00	0.02	0.000	0.003	0.005
43828	Bromodichloromethane	60	0.00	0.01	0.000	0.001	0.003
43829	1,2-Dichloropropane	60	0.00	0.01	0.000	0.001	0.003
43830	trans-1,3-Dichloropropylene	60	0.00	0.00	0.000	0.000	0.000
43831	cis-1,3-Dichloropropylene	60	0.00	0.01	0.000	0.000	0.001
43832	Dibromochloromethane	60	0.00	0.00	0.000	0.000	0.000
43838	Trans-1,2-Dichloroethene	60	0.00	0.00	0.000	0.000	0.000
43839	cis-1,2-Dichloroethene	60	0.00	0.01	0.000	0.000	0.001
43843	Ethylene Dibromide	60	0.00	0.00	0.000	0.000	0.000
43844	Hexachlorobutadiene	60	0.00	0.01	0.000	0.001	0.003
43860	Vinyl Chloride	60	0.00	0.01	0.000	0.000	0.001
45109	m/p-Xylene	60	0.02	0.56	0.095	0.140	0.121
45201	Benzene	60	0.07	0.73	0.180	0.227	0.139
45202	Toluene	60	0.06	1.53	0.360	0.431	0.291
45203	Ethylbenzene	60	0.01	0.24	0.045	0.059	0.046
45204	o-Xylene	60	0.01	0.19	0.040	0.054	0.040
45207	1,3,5-Trimethylbenzene	60	0.00	0.06	0.010	0.016	0.014
45208	1,2,4-Trimethylbenzene	60	0.01	0.22	0.040	0.057	0.051
45213	p-Ethyltoluene	60	0.00	0.10	0.020	0.025	0.022
45220	Styrene	60	0.00	0.08	0.020	0.021	0.018
45801	Chlorobenzene	60	0.00	0.01	0.000	0.001	0.003
45805	1,2-Dichlorobenzene	60	0.00	0.01	0.000	0.000	0.001
45806	1,3-Dichlorobenzene	60	0.00	0.00	0.000	0.000	0.000
45807	1,4-Dichlorobenzene	60	0.00	0.04	0.010	0.013	0.010
45809	Benzyl Chloride	60	0.00	0.01	0.000	0.003	0.004
45810	1,2,4-Trichlorobenzene	60	0.00	0.01	0.000	0.001	0.003
46401	Tetrahydrofuran	60	0.00	0.06	0.010	0.014	0.017

24 Hour Carbonyl Sampling 2007 Summary Statistical Analysis

Concentrations are in ppbV

Site	Parameter	Compound Name	Num	Minimum	Maximum	Median	Average	StDev
Lee Park	43502	Formaldehyde	57	0.656	8.682	2.021	2.682	1.752
	43503	Acetaldehyde	57	0.429	1.898	0.951	1.015	0.336
	43504	Propionaldehyde	57	0.052	1.816	0.226	0.252	0.232
	43551	Acetone	57	0.521	6.157	1.450	1.718	0.948
	43552	Methyl Ethyl Ketone	57	0.119	1.132	0.244	0.285	0.174
	43560	Methyl Isobutyl Ketone	57	0.000	0.052	0.000	0.004	0.010

Site	Parameter	Compound Name	Num	Minimum	Maximum	Median	Average	StDev
MathScience Innovation Center	43502	Formaldehyde	59	0.058	8.991	3.143	3.164	1.631
	43503	Acetaldehyde	59	0.132	2.018	1.172	1.165	0.360
	43504	Propionaldehyde	59	0.070	0.539	0.232	0.248	0.125
	43551	Acetone	59	0.675	3.605	1.710	1.966	0.782
	43552	Methyl Ethyl Ketone	59	0.140	0.794	0.318	0.327	0.132
	43560	Methyl Isobutyl Ketone	59	0.000	0.065	0.000	0.008	0.017

Site	Parameter	Compound Name	Num	Minimum	Maximum	Median	Average	StDev
Tidewater Regional Office	43502	Formaldehyde	58	0.618	7.568	2.282	2.658	1.529
	43503	Acetaldehyde	58	0.553	1.995	1.321	1.270	0.371
	43504	Propionaldehyde	58	0.070	0.569	0.269	0.278	0.116
	43551	Acetone	58	0.464	3.820	1.488	1.752	0.842
	43552	Methyl Ethyl Ketone	58	0.095	0.598	0.238	0.254	0.103
	43560	Methyl Isobutyl Ketone	58	0.000	0.140	0.000	0.010	0.023

AQI (Air Quality Index)



What is the AQI?

The air quality index (AQI) is a measurement designed to indicate how clean or polluted the air is in an area, and it also provides information about health effects associated with air pollution. The index is reported daily, or in some cases continuously, and calculated from measured concentrations of five major pollutants regulated by the Clean Air Act: ground-level ozone, particulate matter, carbon monoxide, sulfur dioxide, and nitrogen dioxide. EPA has established national ambient air quality standards (NAAQS) for each of these pollutants to protect public health, and the index is derived from the NAAQS. State and local agencies are required to report the AQI in areas where the population is 350,000 or more, although it is often reported in additional areas as a public service.

How does the AQI work?

The AQI range is from 0 to 500, with the low numbers representing good air quality and the high numbers indicating unhealthy, or even hazardous air quality. The index is divided into six categories with coordinating color codes. In addition, each category has a health-related message associated with it, to inform the public of possible health effects that may arise as a result of breathing polluted air.

Generally, an index of 100 corresponds to the national air quality standard for the pollutant, which is the level that EPA has established to protect public health. Levels below 100 are considered satisfactory, while numbers above 100 are considered unhealthy, first for sensitive groups, and then for the general public as the index value increases.

How is the AQI calculated?

The AQI is calculated from air pollution measurements collected at monitoring sites across the country. The reporting agency must calculate an index for each pollutant from the measured concentrations at all monitoring sites in an area using a standard formula developed by EPA. The pollutant with the highest index is reported as the "primary pollutant", and the highest index is reported as the AQI for the area. If the AQI is above 100, then the agency must report which groups may be sensitive to the primary pollutant. If two or more pollutants have indexes above 100, then the agency must report all groups that may be affected by those pollutants.

In Virginia, as well as most of the nation, the pollutants of greatest concern are ground-level ozone, and airborne particulate matter. Currently, the AQI is only reported for those two pollutants in Virginia.


How do I find the AQI for my area?

DEQ reports the air quality index for Roanoke, Winchester, Richmond, Hampton Roads, and Northern Virginia for ozone and particulate matter on the internet at www.deq.virginia.gov/airquality/homepage.html. The AQI for particulate matter is reported year-round and the AQI for ozone is reported during the months of April to October, which is ozone season in Virginia. Air quality forecasts and current ozone data can be obtained at the DEQ site, as well as links to other air quality websites. EPA also reports air quality conditions for the United States at www.airnow.gov.

In addition to the internet, current and forecasted AQI levels are broadcast on local television and radio weather reports in many areas, as well as printed in newspapers. By reaching out to the public using these different media, individuals can plan their activities to reduce exposure during episodes of poor air quality, and they can also take steps to reduce pollution.

For detailed information about the AQI, and on health effects of the pollutants that are included in the AQI, visit www.airnow.gov.

Air Quality Index Levels of Health Concern	Numerical Value	Meaning
Good	0-50	Air quality is considered satisfactory, and air pollution poses little or no risk.
Moderate	51-100	Air quality is acceptable; however, for some pollutants there may be a moderate health concern for a very small number of people who are unusually sensitive to air pollution.
Unhealthy for Sensitive Groups	101-150	Members of sensitive groups may experience health effects. The general public is not likely to be affected.
Unhealthy	151-200	Everyone may begin to experience health effects; members of sensitive groups may experience more serious health effects.
Very Unhealthy	201-300	Health alert: everyone may experience more serious health effects.
Hazardous	> 300	Health warnings of emergency conditions. The entire population is more likely to be affected.




Every day tips:	Ozone Action Day tips:
<ul style="list-style-type: none"> ■ Conserve energy—at home, at work, everywhere. ■ Defer use of gasoline-powered lawn and garden equipment. Follow gasoline refueling instructions for efficient vapor recovery. Be careful not to spill fuel and always tighten your gas cap securely. ■ Keep car, boat, and other engines tuned up according to manufacturers' specification. ■ Be sure your tires are properly inflated. ■ Carpool, use public transportation, bike, or walk whenever possible. ■ Use environmentally safe paints and cleaning products whenever possible. ■ Some products that you use at your home or office are made with smog-forming chemicals that can evaporate into the air when you use them. Follow manufacturers' recommendations for use and properly seal cleaners, paints, and other chemicals to prevent evaporation into the air. 	<ul style="list-style-type: none"> ■ Conserve electricity and set your air conditioner at a higher temperature. ■ Choose a cleaner commute—share a ride to work or use public transportation. Bicycle or walk to errands when possible. ■ Defer use of gasoline-powered lawn and garden equipment. ■ Refuel cars and trucks after dusk. ■ Combine errands and reduce trips. ■ Limit engine idling. ■ Use household, workshop, and garden chemicals in ways that keep evaporation to a minimum, or try to delay using them when poor air quality is forecast.

For more information, please visit these sites:


<http://www.epa.gov/otaq/consumer/18-youdo.pdf>

http://airnow.gov/index.cfm?action=jump.jump_youcando


Ozone Air Quality Index Roanoke Area 2007




Ozone Air Quality Index Richmond - Petersburg Areas 2007



**Ozone Air Quality Index
Norfolk - Virginia Beach - Newport News Areas
2007**



**Ozone Air Quality Index
Washington, DC Area
2007**




Appendix A

AQM	Air Quality Monitoring
AQCR	Air Quality Control Region
ATMN	Air Toxics Monitoring Network
Avg.	Average
CO	Carbon Monoxide
DEQ	Department of Environmental Quality
EAC	Early Action Compacts
EPA	Environmental Protection Agency
IMPROVE	Interagency Monitoring of Protected Visual Environments
LAT	Latitude
LONG	Longitude
MARAMA	Mid-Atlantic Regional Air Management Association
MET.	Meteorological Instrumentation
MSA	Metropolitan Statistical Area
NA	Not Available
NAMS	National Air Monitoring Stations
NMOC	Non-Methane Organic Compounds
NO ₂	Nitrogen Dioxide
NUM	Number of Samples
O ₃	Ozone
PAMHC	Total PAMS Hydrocarbon
PAMS	Photochemical Assessment Monitoring Station
PM ₁₀	Particulate Matter with an aerodynamic diameter less than or equal to 10 microns
PM _{2.5}	Particulate Matter with an aerodynamic diameter less than or equal to 2.5 microns
POLLUT.	Pollutant
ppbC	Part Per Billion of Carbon
ppbv	Part Per Billion of Volume
ppm	Part Per Million
SLAMS	State and Local Air Monitoring Station
SO ₂	Sulfur Dioxide
STD	Standard
STDEV	Standard Deviation
TEOM	Tapered Element Oscillating Microbalance (a method for continuously measuring PM _{2.5} in ambient air)
TNMOC	Total Nonmethane Organic Compound
ug/m ³	Micrograms per cubic meter
VISTAS	Visibility Improvement State and Tribal Association of the Southeast
VOC	Volatile Organic Compounds

Abbreviation Table



Contact Information for this Region:
Southwest Regional Office
Dallas Sizemore, Director
P.O. Box 1688
355 Deadmore Street
Abingdon, VA 24212
(276) 676-4800



Valley Monitoring Network 2007

STATION NUMBER	POLLUT.	LOCATION	EPA ID	CITY/COUNTY	LAT/LONG
21-C	O ₃ , IMPROVE	Natural Bridge Ranger Station	51-163-0003	Rockbridge Co.	37° 37' 34" -79° 30' 47"
26-F	PM _{2.5} , SO ₂ , NO ₂ , O ₃	Rockingham VDOT	51-165-0003	Harrisonburg Rockingham Co.	38° 28' 38" -78° 49' 09"
28-J	O ₃	Woodbine Road Lester Building Systems	51-069-0010	Rest Frederick Co.	39° 16' 58" -78° 04' 53"
28-L	PM ₁₀	Clearbrook 1256 Brucetown Road	51-069-0012	Rest Frederick Co.	39° 16' 58" -78° 04' 53"
29-D	O ₃ , PM _{2.5}	Luray Caverns Airport	51-139-0004	Page Co.	39° 15' 24" -78° 05' 25"
30-E	PM ₁₀	Warren Co. Memorial Hospital 1000 Shenandoah Avenue	51-187-0004	Front Royal Warren Co.	38° 55' 58" -78° 11' 54"
127-B	PM ₁₀	City Hall Annex 606 E. Market Street	51-540-0002	Charlottesville	38° 01' 57" -78° 28' 37"
134-C	PM ₁₀	Winchester Courts Building	51-840-0002	Winchester	39° 11' 08" -78° 09' 47"


Contact information for this Region:

Valley Regional Office
Amy T. Owens, Director
P.O. Box 3000
4411 Early Road
Harrisonburg, VA 22801
(540) 574-7800



West Central Monitoring Network 2007

West Central Monitoring Network 2007




STATION NUMBER	POLLUT.	LOCATION	EPA ID	CITY/COUNTY	LAT/LONG
155-Q	PM _{2.5}	Leesville Hwy. & Greyst one Dr.	51-680-0015	Lynchburg	37° 33' 18" -79° 21' 45"

-62-



Contact Information for this Region:
Piedmont Regional Office
Gerard Seeley, Jr., Director
4949-A Cox Road
Glen Allen, VA 23060
(804) 527-5020



Tidewater Monitoring Network 2007

STATION NUMBER	POLLUT.	LOCATION	EPA ID	CITY/COUNTY	LAT/LONG
179-C	CO, SO ₂ , O ₃ , PM _{2.5} , PM ₁₀ , TEOM	Virginia School for the Deaf & Blind 700 Shell Road	51-650-0004	Hampton	37° 00' 12" -76° 23' 57"
181-A1	CO, SO ₂ , NO ₂ , PM ₁₀ , PM _{2.5}	NOAA Property 2 nd and Woodis Avenue	51-710-0024	Norfolk	36° 51' 28" -76° 18' 06"
183-E	O ₃	Tidewater Community College Frederick Campus	51-800-0004	Suffolk	36° 54' 12" -76° 43' 53"
183-F	O ₃	Tidewater Research Station	51-800-0005	Suffolk	36° 40' 03" -76° 43' 53"
184-J	PM _{2.5} , Toxics	DEQ – Tidewater Regional Office 5636 Southern Blvd.	51-810-0008	Va. Beach	36° 50' 28" -76° 10' 53"

Contact information for this Region:
Francis L. Daniel, Director
5636 Southern Blvd.
Virginia Beach, VA 23462
(757) 518-2000



-65-

STATION NUMBER	POLLUT.	LOCATION	EPA ID	CITY/COUNTY	LAT/LONG
L-46-A8	CO, SO ₂ , O ₃ , NO ₂ , PM _{2.5}	McLean Governmental Center 1437 Balls Hill Road	51-059-5001	McLean Fairfax Co.	38° 55' 55" -77° 11' 56"
L-46-B3	O ₃ , PM ₁₀	Mt. Vernon Fire Station 2675 Sherwood Hall Lane	51-059-0018	Mount Vernon Fairfax Co.	38° 44' 33" -77° 04' 39"
L-46-F	CO, SO ₂ , O ₃ , NO ₂ , PM ₁₀	Upper Cub Run Drive	51-059-0005	Chantilly Fairfax Co.	38° 53' 38" -77° 27' 55"
L-46-C1	CO, SO ₂ , O ₃ , NO ₂ , PM _{2.5} , TEOM	Mason Governmental Center 6507 Columbia Pike	51-059-1005	Annandale Fairfax Co.	38° 50' 15" -77° 09' 47"
L-126-C	CO, SO ₂ , O ₃ , NO ₂	Alexandria Health Department 517 North Saint Asaph Street	51-510-0009	Alexandria	38° 48' 38" -77° 02' 40"
N-35-A	O ₃ , TEOM, IMPROVE,	Big Meadows, National Park Service	51-113-0003	Madison Co.	38° 31' 19" -78° 26' 10"

Contact Information for this Region:

Northern Regional Office
Thomas Faha, Director
13901 Crown Court
Woodbridge, VA 22193
(703) 583-3800

SATELLITE OFFICE:

Fredericksburg
806 Westwood Office Park
Fredericksburg, VA 22401
(540) 899-4600

Minimum Number of Observations	
3-Hour Average	3 Consecutive Hourly Observations
8-Hour	6 Hourly Observations
24-Hour	18 Hourly Observations
Quarterly Averages (PM _{2.5} , PM ₁₀)	75% of Scheduled Samples
Yearly Averages (Continuous Instruments)	75% of Total Possible Observations
Yearly Averages (PM _{2.5} , PM ₁₀)	Four Complete Quarterly Averages

Data Capture Criteria

National Ambient Air Quality Standards

POLLUTANT	PRIMARY STANDARD		SECONDARD STANDARD	
	mg/m ³	ppm	mg/m ³	ppm
CARBON MONOXIDE 8-hour concentration 1-hour concentration	10,000 ^a 40,000 ^a	9 ^a 35 ^a	None	None
SULFUR DIOXIDE Annual arithmetic mean 24-hour concentration 3-hour concentration	80 365 ^a	0.03 0.14 ^a	1300 ^a	0.5 ^a
NITROGEN DIOXIDE Annual arithmetic mean	100	0.053	Same as primary	
OZONE 8-hour concentration 1-hour concentration**	157 ^b	0.08 ^b	Same as primary	
LEAD Quarterly arithmetic mean	1.5		Same as primary	
PARTICULATE MATTER PM_{2.5} Annual arithmetic mean 24-hour concentration PM₁₀ 24-hour concentration	15.0 ^e 35 ^d 150 ^e		Same as primary	
^a Not to be exceeded more than once a year ^b 3-year average of the 4 th highest 8-hour concentration may not exceed 0.08 ppm ^c Based on a 3-year average of annual arithmetic mean PM2.5 concentrations ^d Based on a 3-year average of 98 th percentile of 24-hour PM2.5 concentrations ^e Not to be exceeded more than once per year on average over 3 years				

** Please see www.epa.gov/air/criteria.html for information concerning 1-hour standard for ozone.

NAMS/SLAMS 2007

REGION	PM _{2.5}	PM ₁₀	CO	SO ₂	NO ₂	O ₃	TOTAL
Southwest	1	1	---	---	---	1	3
Valley	2	4	---	1	1	4	12
West Central	2	1	1	1	1	1	7
South Central	1	---	---	---	---	---	1
Piedmont	4	4	1	2	2	4	17
Tidewater	3	2	2	2	1	3	13
*Northern	5	4	6	4	7	13	39
TOTAL	18	16	10	10	12	26	92

* This region's sites are operated by DEQ, Fairfax Co., and Alexandria

** This table does not include the National Park Service site

Number of Criteria Pollutant Monitoring Sites

Ozone & PM_{2.5} Nonattainment Area Designations

Areas Designated Nonattainment for the 8-Hour Ozone NAAQS

Northern Virginia

Arlington County
Fairfax County
Loudoun County
Prince William County
City of Alexandria
City of Fairfax
City of Falls Church
City of Manassas
City of Manassas Park

Fredericksburg

Spotsylvania County
Stafford County
City of Fredericksburg

Richmond

Charles City County
Chesterfield County
Hanover County
Henrico County
Prince George County
City of Colonial Heights
City of Hopewell
City of Petersburg
City of Richmond

Hampton Roads

Gloucester County
Isle of Wright
James City County
York County
City of Chesapeake
City of Hampton
City of Newport News
City of Norfolk
City of Poquoson
City of Portsmouth
City of Suffolk
City of Virginia Beach
City of Williamsburg

Shenandoah National Park

Shenandoah National Park
(the portions in Page and Madison Counties)

Areas that have been Identified as Nonattainment for the 8-hour Ozone Standard, but have received Deferment of Official Nonattainment Designation

Frederick County Early Action Area

Frederick County
City of Winchester

Roanoke Early Action Area

Botetourt County
Roanoke County
City of Roanoke
City of Salem
Town of Vinton

PM_{2.5} Nonattainment Area Designations

Northern Virginia

Arlington County
Fairfax County
Loudoun County
Prince William County
City of Alexandria
City of Fairfax
City of Falls Church
City of Manassas
City of Manassas Park

Appendix B

AIRSData – Access to national and state air pollution concentrations and emissions data
<http://www.epa.gov/air/data>

Air Explorer – Collection of user-friendly visualization tools for air quality monitoring
<http://www.epa.gov/airexplorer>

Air Now – Ozone mapping, AQI, and real time data
<http://www.airnow.gov>

Air Now – Air Quality Index Information
<http://www.airnow.gov/index.cfm?action=static.aqi>

American Lung Association:
<http://www.lungusa.org/>

Department of Environmental Quality link:
<http://www.deq.virginia.gov/>

Education for teachers and children:
<http://www.epa.gov/kids>

MARAMA
<http://www.marama.org/index.html>

Nonattainment area descriptions:
<http://epa.gov/oar/oaqps/greenbk>

U.S. EPA:
<http://www.epa.gov>

VISTAS:
<http://www.vistas-sesarm.org>

2007 3-Day Monitoring Schedule for PM_{2.5} and 6-Day Monitoring Schedule for PM₁₀:
<http://www.epa.gov/ttn/amtic/calendar.html>

Code of Federal Regulations – 40 CFR 50 & 58

Virginia Ambient Air Monitoring Data Reports

DEQ Monthly/Quarterly Reports 1998 – 2007

Air Quality System (AQS)

References